





(°)	Average I(cd)	Zonal F(lm)	Sum F(lm)	Eff Flux(lm)	Eff Sum(lm)
0.0	598.535	.000	.000	.000%	.000%
5.0	596.057	14.281	14.281	.000%	.000%
10.0	588.998	42.393	56.674	.000%	.000%
15.0	576.904	69.161	125.835	.000%	.000%
20.0	559.617	93.665	219.500	.000%	.000%
25.0	538.001	115.120	334.620	.000%	.000%
30.0	512.620	132.957	467.577	.000%	.000%
35.0	481.090	146.331	613.908	.000%	.000%
40.0	447.176	154.874	768.782	.000%	.000%
45.0	408.775	158.486	927.268	.000%	.000%
50.0	358.218	154.982	1082.250	.000%	.000%
55.0	307.111	144.665	1226.915	.000%	.000%
60.0	252.067	129.252	1356.167	.000%	.000%
65.0	193.588	108.339	1464.507	.000%	.000%
70.0	146.151	86.024	1550.531	.000%	.000%
75.0	102.543	65.005	1615.536	.000%	.000%
80.0	58.856	43.186	1658.721	.000%	.000%
85.0	25.020	22.791	1681.513	.000%	.000%
90.0	6.086	8.517	1690.030	.000%	.000%
95.0	3.655	2.667	1692.697	.000%	.000%
100.0	1.835	1.492	1694.189	.000%	.000%
105.0	.063	.508	1694.697	.000%	.000%
110.0	.047	.029	1694.725	.000%	.000%
115.0	.031	.020	1694.745	.000%	.000%
120.0	.063	.023	1694.768	.000%	.000%
125.0	.078	.033	1694.801	.000%	.000%
130.0	.110	.041	1694.842	.000%	.000%
135.0	.094	.041	1694.883	.000%	.000%
140.0	.047	.026	1694.909	.000%	.000%
145.0	.078	.021	1694.930	.000%	.000%
150.0	.094	.025	1694.955	.000%	.000%
155.0	.110	.026	1694.981	.000%	.000%
160.0	.063	.018	1694.999	.000%	.000%
165.0	.063	.010	1695.010	.000%	.000%
170.0	.125	.011	1695.021	.000%	.000%
175.0	.063	.007	1695.027	.000%	.000%
180.0	.157	.003	1695.030	.000%	.000%




C0 (Max) : —————
C0/C180 :
C90/C270 : - - - - -







(10%Imax)	59.841	—
(20%Imax)	119.682	⋯
(30%Imax)	179.523	- - -
(40%Imax)	239.364	—
(50%Imax)	299.205	⋯
(60%Imax)	359.046	- - -
(70%Imax)	418.887	—
(80%Imax)	478.728	⋯
(90%Imax)	538.569	- - -



Imax:598.60cd

(10%Imax)	59.8598	———
(20%Imax)	119.72
(30%Imax)	179.579	- - - - -
(40%Imax)	239.439	———
(50%Imax)	299.299
(60%Imax)	359.159	- - - - -
(70%Imax)	419.019	———
(80%Imax)	478.879
(90%Imax)	538.738	- - - - -






Luminance Table

	45	50	55	60	65	70	75	80	85
C0	18437	17625	17331	15872	14572	13674	13064	12212	11999
C90	18076	17408	16480	16047	14792	13793	13401	12212	11599

Glare Table

Glare	Quality	Service Values Illuminance(lx)							
1.15	A	2000	1000	500	<=300				
1.5	B		2000	1000	500	<=300			
1.85	C			2000	1000	500	<=300		
2.2	D				2000	1000	500	<=300	
2.55	E					2000	1000	500	<=300
		a	b	c	d	e	f	g	h



Intensity data(cd)

Page: 10 Total:10

C/ (°)	0.0	5.0	10.0	15.0	20.0	25.0	30.0	35.0	40.0	45.0
360.0	598.60	597.28	592.01	581.66	565.66	545.70	522.36	492.24	459.49	422.41
330.0	598.41	596.53	589.56	578.08	560.95	540.81	514.08	483.77	449.89	414.12
300.0	598.60	596.15	589.37	576.57	560.95	539.49	514.08	482.08	449.89	412.05
270.0	598.41	595.02	586.55	574.13	555.12	532.53	503.73	474.17	438.97	400.01
240.0	598.60	595.02	588.06	573.56	555.12	532.90	507.49	474.74	439.35	404.90
210.0	598.60	594.46	585.80	570.93	551.92	528.57	502.41	469.09	432.95	395.49
180.0	598.60	594.46	585.42	572.81	553.04	528.39	502.41	470.60	434.45	394.92
150.0	598.41	595.77	588.06	576.20	558.13	535.91	511.07	478.69	443.68	404.52
120.0	598.60	595.96	588.43	576.20	558.88	537.04	511.07	476.43	445.18	406.41
90.0	598.41	597.28	591.26	579.77	564.90	544.39	519.35	488.48	456.29	414.12
60.0	598.60	597.28	591.07	580.72	563.77	542.88	519.35	488.67	454.78	412.24
30.0	598.60	597.47	592.39	582.22	566.97	547.40	524.06	494.13	461.18	424.10
0.0	598.60	597.28	592.01	581.66	565.66	545.70	522.36	492.24	459.49	422.41

C/ (°)	50.0	55.0	60.0	65.0	70.0	75.0	80.0	85.0	90.0	95.0
360.0	367.06	322.08	257.13	199.53	151.53	109.55	68.71	33.88	7.72	3.76
330.0	361.23	310.59	254.12	196.90	152.28	110.12	65.51	27.29	5.46	3.39
300.0	367.06	317.56	264.47	197.09	147.58	102.97	60.05	26.73	6.59	3.76
270.0	346.17	292.90	232.47	175.81	131.20	89.79	47.06	17.51	4.89	3.58
240.0	350.50	304.95	248.10	184.66	137.98	92.80	51.01	19.01	5.27	3.76
210.0	343.72	293.46	237.37	182.97	135.34	88.28	48.75	15.44	5.08	3.58
180.0	341.46	285.18	229.65	176.94	132.71	89.41	48.19	16.56	4.89	3.76
150.0	356.52	305.70	250.92	192.76	148.90	103.15	56.47	24.28	5.46	3.76
120.0	355.39	304.57	252.62	193.51	141.37	101.84	57.79	23.72	5.46	3.76
90.0	362.55	306.26	259.96	202.54	152.85	112.38	68.71	32.75	6.96	3.76
60.0	369.51	312.66	262.59	208.19	162.26	115.58	67.77	30.31	7.15	3.58
30.0	377.42	329.42	275.39	212.14	159.81	114.64	66.26	32.75	8.09	3.39
0.0	367.06	322.08	257.13	199.53	151.53	109.55	68.71	33.88	7.72	3.76

C/ (°)	100.0	105.0	110.0	115.0	120.0	125.0	130.0	135.0	140.0	145.0
360.0	2.45	0.00	0.00	0.00	0.19	0.19	0.00	0.19	0.00	0.19
330.0	1.69	0.00	0.00	0.00	0.00	0.19	0.19	0.00	0.00	0.19
300.0	1.88	0.00	0.00	0.00	0.00	0.00	0.19	0.38	0.00	0.00
270.0	1.69	0.19	0.00	0.00	0.19	0.00	0.19	0.19	0.00	0.00
240.0	1.88	0.00	0.00	0.19	0.00	0.00	0.19	0.00	0.19	0.00
210.0	1.69	0.19	0.00	0.00	0.19	0.00	0.19	0.19	0.19	0.00
180.0	1.69	0.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.19
150.0	2.07	0.00	0.00	0.19	0.00	0.19	0.19	0.19	0.00	0.00
120.0	1.69	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19
90.0	2.07	0.00	0.19	0.00	0.00	0.19	0.00	0.00	0.00	0.00
60.0	2.07	0.00	0.19	0.00	0.00	0.19	0.19	0.00	0.00	0.19
30.0	1.13	0.19	0.00	0.00	0.19	0.00	0.00	0.00	0.19	0.00
0.0	2.45	0.00	0.00	0.00	0.19	0.19	0.00	0.19	0.00	0.19

C/ (°)	150.0	155.0	160.0	165.0	170.0	175.0	180.0
360.0	0.00	0.00	0.00	0.00	0.19	0.00	0.19
330.0	0.00	0.00	0.19	0.19	0.00	0.00	0.19
300.0	0.00	0.38	0.00	0.00	0.00	0.19	0.00
270.0	0.19	0.19	0.00	0.19	0.38	0.00	0.19
240.0	0.19	0.19	0.00	0.19	0.00	0.19	0.19
210.0	0.19	0.19	0.00	0.19	0.00	0.19	0.19
180.0	0.00	0.00	0.19	0.00	0.19	0.00	0.19
150.0	0.00	0.00	0.00	0.00	0.19	0.00	0.19
120.0	0.19	0.00	0.00	0.00	0.00	0.00	0.00
90.0	0.19	0.19	0.00	0.00	0.19	0.19	0.19
60.0	0.19	0.00	0.19	0.00	0.19	0.00	0.19
30.0	0.00	0.19	0.19	0.00	0.19	0.00	0.19
0.0	0.00	0.00	0.00	0.00	0.19	0.00	0.19