



LIGHTING+FANS

June 2025 Collection



QUALITY

TRUST

EXPERTISE



SELECTION

STYLE

VALUE

Our For over 30 years, our expert staff has been building trusted relationships by providing industry-leading selection and stock of high quality lighting and fans. Our superior sourcing capabilities and distribution network allow our dedicated team to always deliver on-time and under budget—time and time again.

Whether your project is a large-scale 200 unit condo development, or a small design-forward commercial space, we have you covered for anything and everything your build throws at you.

We thank you for your business, and look forward to providing best-in-class service and assistance.

Our business succeeds when our long-standing partnerships succeed. We strive to create one with each and every one of our customers—no matter the size, location or specific project needs.

Sincere Thanks

**– The RP Team**

# Product Overview

---



4352 | Carlson  
Pg 6-7



4128 | Troy  
Pg 8



4434 | Yorkshire  
Pg 9



4125 | Anniston  
Pg 10



4126 | Anniston  
Pg 11




4127 | Bessemer  
Pg 12



4117 | Auburn  
Pg 13



4436 | Salem  
Pg 14



4437 | Georgetown  
Pg 15




4434 | Vale  
Pg 16



4435 | Ashwind  
Pg 17



# 4352-12 | Carlson



## 12" Slim Round Edgelit | 5 CCT Selectable


Sleek sophistication meets smart technology with the Carlson Slim Round Edgelit Disc Light from RP Lighting. This ultra-thin fixture features a low-profile round design that blends seamlessly into any modern space—making it ideal for both residential and commercial interiors. Whether you’re setting the mood in a cozy living room or brightening up a busy hallway, the 5 CCT selectable color temperatures (ranging from warm to daylight) let you fine-tune the atmosphere with a flick of a switch. Its integrated LED delivers high-CRI (90+) illumination while consuming minimal energy. This fixture is also damp-rated, making it perfect for bathrooms, kitchens, or covered patios. With triac dimming compatibility, you can create the perfect ambiance—day or night.

ETL and Title 24 listed. Rated for use in damp locations. Triac Dimmable. 90CRI  
1-year limited manufacturer's warranty.

### PERFORMANCE

MODEL #	LUMENS					WATTS	CCT	VOLTAGE
	2700K	3000K	3500K	4000K	5000K			
4352 (-12)	1514	1527	1599	1588	1622	22W	5CCT	120V

### DIMENSIONS



### ORDERING GUIDE

Example: 4352WH-12-5CCT

MODEL #	FINISH	SIZE	CCT
4352	<b>BN</b> – Brushed Nickel <b>MBK</b> – Matte Black <b>WH</b> – White	<b>-12</b> – Diameter (12")	<b>-5CCT</b> – 5 Selectable CCT Modes 2700K, 3000K, 3500K, 4000K, 5000K

# 4352-15 | Carlson



MBK



## 15" Slim Round Edgelit | 5 CCT Selectable


Sleek sophistication meets smart technology with the Carlson Slim Round Edgelit Disc Light from RP Lighting. This ultra-thin fixture features a low-profile round design that blends seamlessly into any modern space—making it ideal for both residential and commercial interiors. Whether you're setting the mood in a cozy living room or brightening up a busy hallway, the 5 CCT selectable color temperatures (ranging from warm to daylight) let you fine-tune the atmosphere with a flick of a switch. Its integrated LED delivers high-CRI (90+) illumination while consuming minimal energy. This fixture is also damp-rated, making it perfect for bathrooms, kitchens, or covered patios. With triac dimming compatibility, you can create the perfect ambiance—day or night.

ETL and Title 24 listed. Rated for use in damp locations. Triac Dimmable. 90CRI  
1-year limited manufacturer's warranty.

### PERFORMANCE

MODEL #	LUMENS					WATTS	CCT	VOLTAGE
	2700K	3000K	3500K	4000K	5000K			
4352 (-15)	1800	1800	1800	1800	1800	26W	5CCT	120V

### DIMENSIONS



### ORDERING GUIDE

Example: 4352WH-15-5CCT

MODEL #	FINISH	SIZE	CCT
4352	<b>BN</b> – Brushed Nickel <b>MBK</b> – Matte Black <b>WH</b> – White	<b>-15</b> – Diameter (15")	<b>-5CCT</b> – 5 Selectable CCT Modes 2700K, 3000K, 3500K, 4000K, 5000K

# 4128 | Troy



## 4" Linear Wrap 9.8" Wide


Wrap your space in comfort and clarity with the Troy 4' Linear Wrap Light — a bold 9.8" wide fixture designed to blend strength with softness. Perfect for interior spaces where utility meets ambiance, this wraparound light offers tunable brightness (30W, 40W, 50W) and customizable color temperatures (3500K, 4000K, 5000K) to set just the right mood. Its wide, sleek form and crisp white finish radiate modern elegance, while its gentle illumination invites warmth into every moment. The Troy light doesn't just brighten your space — it brings a quiet glow to your spaces.

ETL listed. Rated for use in wet locations. 80CRI. Dimmable  
1-year limited manufacturer's warranty.

### PERFORMANCE

MODEL #	LUMENS			WATTS	CCT	VOLTAGE
	HIGH	MED	LOW			
4128	6000	4800	3600	50/40/30W	3CCT	120/277V

### DIMENSIONS



**4128**  
L: 47" | W: 9.75" | H: 2.75"


### ORDERING GUIDE

Example: 4128WH-3TW-3CCT

MODEL #	FINISH	TUNABLE WATTAGE	CCT
4128	WH – White	-3TW – 3 Selectable Wattages	-3CCT – 3 Selectable CCT Modes 3500K, 4000K, 5000K



# 4118 | Yorkshire



## 4' Linear Wrap 5.4" Wide


Bring clean, efficient lighting to your interior spaces with the Yorkshire 4' Linear Wrap fixture. Measuring 5.4" wide, this versatile wraparound light features selectable wattages (30W, 40W, 50W) and tunable color temperatures (3500K, 4000K, 5000K), offering customizable performance to suit offices, hallways, utility rooms, and more. Designed for simplicity and reliability, the Yorkshire operates on AC120-277V and is housed in a sleek white SPCC steel and polycarbonate body that blends seamlessly into modern interiors. With its uniform light distribution and low-profile form, this fixture delivers both function and form—providing dependable, energy-saving illumination at an excellent value.

ETL listed. Rated for use in wet locations. 80CRI. Dimmable  
1-year limited manufacturer's warranty.

### PERFORMANCE

MODEL #	LUMENS			WATTS	CCT	VOLTAGE
	HIGH	MED	LOW			
4118	5750	4600	3450	50/40/30W	3CCT	120/277V

### DIMENSIONS



### ORDERING GUIDE

MODEL #	FINISH	TUNABLE WATTAGE	CCT	OPTIONS
4118	WH – White	-3TW – 3 Selectable Wattages	-3CCT – 3 Selectable CCT Modes 3500K, 4000K, 5000K	-EM – Emergency Light -MS – Motion Sensor -MS-EM – Motion Sensor & Emergency Light

# 4125 | Anniston



## 2' Linear Strip 3" Wide


Bring warmth and charm to your space with the Anniston 2' Linear Strip Light — a sleek 3" wide fixture that effortlessly blends modern design with practical versatility. With its tunable white light (35K, 40K, 50K) and adjustable wattage (15W, 20W, 25W), this light adapts to your every mood, casting a glow that's as soft or bold as your story demands. The clean white finish and gentle illumination create the perfect ambiance for heartfelt conversations and quiet moments alike. Whether it's lighting up a cozy corner or setting the mood in a shared space, this light is more than functional — it's a luminous companion to your everyday life.

ETL listed. Rated for use in wet locations. 80CRI. Dimmable  
1-year limited manufacturer's warranty.

### PERFORMANCE

MODEL #	LUMENS			WATTS	CCT	VOLTAGE
	HIGH	MED	LOW			
4125	3250	2600	1950	25/20/15W	3CCT	120/277V

### DIMENSIONS



**4125**  
L: 24" | W: 3" | H: 3.25"

### ORDERING GUIDE

Example: 4125WH-3TW-3CCT-MS-EM

MODEL #	FINISH	TUNABLE WATTAGE	CCT	OPTIONS
4125	WH – White	-3TW – 3 Selectable Wattages	-3CCT – 3 Selectable CCT Modes 3500K, 4000K, 5000K	-MS-EM – Motion Sensor & Emergency Light

# 4126 | Anniston



## 4' Linear Strip 3" Wide

Bring warmth and charm to your space with the Anniston 4' Linear Strip Light — a sleek 3" wide fixture that effortlessly blends modern design with practical versatility. With its tunable white light (35K, 40K, 50K) and adjustable wattage (30W, 40W, 50W), this light adapts to your every mood, casting a glow that's as soft or bold as your story demands. The clean white finish and gentle illumination create the perfect ambiance for heartfelt conversations and quiet moments alike. Whether it's lighting up a cozy corner or setting the mood in a shared space, this light is more than functional — it's a luminous companion to your everyday life.

ETL listed. Rated for use in wet locations. 80CRI. Dimmable  
1-year limited manufacturer's warranty.

### PERFORMANCE

MODEL #	LUMENS			WATTS	CCT	VOLTAGE
	HIGH	MED	LOW			
4126	6500	5200	3900	50/40/30W	3CCT	120/277V

### DIMENSIONS


**4126**  
L: 48" | W: 3" | H: 3.25"

### ORDERING GUIDE

MODEL #	FINISH	TUNABLE WATTAGE	CCT	OPTIONS
4126	WH – White	-3TW – 3 Selectable Wattages	-3CCT – 3 Selectable CCT Modes 3500K, 4000K, 5000K	-EM – Emergency Light -MS – Motion Sensor -MS-EM – Motion Sensor & Emergency Light

Specifications and dimensions subject to change. Lumens are delivered unless otherwise noted. See website for most current information.

# 4127 | Bessemer



## 4' Linear Stairwell Light

Illuminate your stairwell with a light that's as dependable as it is beautiful — the Bessemer 4' Linear Stairwell Light transforms transitional spaces into moments of calm and clarity. With adjustable wattage (30W, 40W, 50W) and color temperatures (3500K, 4000K, 5000K), it creates just the right atmosphere whether you're welcoming the morning or winding down for the night. Its sleek white design and gentle glow invite you to pause mid-step, take a breath, and feel at home. Designed for long-lasting performance, this fixture is more than lighting — it's a quiet companion guiding your every step with grace.

ETL listed. Rated for use in wet locations. 80CRI. Dimmable  
1-year limited manufacturer's warranty.

### PERFORMANCE

MODEL #	LUMENS			WATTS	CCT	VOLTAGE
	HIGH	MED	LOW			
4127	6500	5200	3900	50/40/30W	3CCT	120/277V

### DIMENSIONS


**4127**  
L: 47.25" | W: 4.75" | H: 5.5"

### ORDERING GUIDE

Example: 4127WH-3TW-3CCT-EM

MODEL #	FINISH	TUNABLE WATTAGE	CCT	OPTIONS
4127	WH – White	-3TW – 3 Selectable Wattages	-3CCT – 3 Selectable CCT Modes 3500K, 4000K, 5000K	-EM – Emergency Light -MS – Motion Sensor -MS-EM – Motion Sensor & Emergency Light

# 4117 | Auburn



## 4' Linear Vapor 4.92" Wide


Engineered for durability and versatility, the Auburn 4' Linear Vapor Tight fixture delivers dependable illumination in both interior and exterior environments. With selectable wattages (30W, 40W, 50W) and color temperatures (3500K, 4000K, 5000K), this 4.92" wide linear light allows you to fine-tune performance to meet the demands of a wide range of applications—from warehouses and parking garages to commercial utility spaces. Its rugged polycarbonate housing provides superior protection against moisture, dust, and impact, making it ideal for harsh or high-traffic environments. Compatible with AC120-277V, this energy-efficient fixture combines high lumen output with a sleek, low-profile design, ensuring powerful and reliable lighting where you need it most.

ETL listed. Rated for use in wet locations. 80CRI. Dimmable  
1-year limited manufacturer's warranty.

### PERFORMANCE

MODEL #	LUMENS			WATTS	CCT	VOLTAGE
	HIGH	MED	LOW			
4117	7000	5600	4200	50/40/30W	3CCT	120/277V

### DIMENSIONS



### ORDERING GUIDE

MODEL #	FINISH	TUNABLE WATTAGE	CCT	OPTIONS
4117	WH – White	-3TW – 3 Selectable Wattages	-3CCT – 3 Selectable CCT Modes 3500K, 4000K, 5000K	-EM– Emergency Light -MS – Motion Sensor -MS-EM – Motion Sensor & Emergency Light

# 4436 | Salem



## Wall Pack Semi Cutoff


Illuminate your exterior spaces with confidence and style using the Salem Semi Cutoff Exterior Wall Pack. Engineered for performance and versatility, this fixture offers selectable wattages and tunable color temperatures (3000K, 4000K, 5000K), allowing you to customize light output to suit any application. Designed for durability, it features a rugged aluminum housing paired with a high-impact polycarbonate lens, ideal for demanding outdoor environments. The built-in photocell ensures automatic dusk-to-dawn operation, maximizing energy efficiency without sacrificing security. Compatible with AC120-277V input and finished in a sleek rectangular form, this wall pack combines function and aesthetics for commercial and industrial settings alike—all at an exceptional value.

ETL listed. Rated for use in wet locations. Dimmable. 70CRI  
1-year limited manufacturer's warranty.

### PERFORMANCE

MODEL #	LUMENS			WATTS	CCT	VOLTAGE
	HIGH	MED	LOW			
4436	7200	6000	4800	60/50/40W	3CCT	120/277V
4436 (-HO)	14400	12000	9600	120/100/80W	3CCT	120/277V

### DIMENSIONS



**4436**  
L: 10.75" | W: 5.25" | H: 9.25"  
**4436 (-HO)**  
L: 13.75" | W: 5.5" | H: 9.75"

### ORDERING GUIDE

Example: 4436BZ-HO-3TW-3CCT

MODEL #	FINISH	OUTPUT OPTIONS	TUNABLE WATTAGE	CCT
4436	BZ – Brown	-HO – High Output	-3TW – 3 Selectable Wattages	-3CCT – 3 Selectable CCT Modes 3000K, 4000K, 5000K



# 4437 | Georgetown



## Wall Pack Full Cutoff


Upgrade your exterior lighting with the Georgetown Adjustable Full Cutoff Exterior Wall Pack—a perfect blend of efficiency, flexibility, and sleek design. This versatile fixture features field-selectable wattages and tunable color temperatures (3000K, 4000K, 5000K), allowing for easy customization based on your project needs. Designed for performance and energy savings, it includes a built-in photocell for automatic dusk-to-dawn operation and runs on a wide voltage range of AC120-277V. Its full cutoff design reduces light spill and glare, making it ideal for environmentally conscious installations. Housed in a durable aluminum body with a polycarbonate lens, this compact rectangular wall pack delivers long-lasting reliability at an outstanding value—perfect for commercial or residential exterior applications.

ETL listed. Rated for use in wet locations. Dimmable. 70CRI  
1-year limited manufacturer's warranty.

### PERFORMANCE

MODEL #	LUMENS			WATTS	CCT	VOLTAGE
	HIGH	MED	LOW			
4437	5200	4550	3640	40/35/28W	3CCT	120/277V
4437 (-HO)	9750	7800	5850	75/60/45W	3CCT	120/277V

### DIMENSIONS



**4437**  
L: 12.75" | W: 7.5" | H: 5"

**4437 (-HO)**  
L: 12.75" | W: 7.5" | H: 5"

### ORDERING GUIDE

MODEL #	FINISH	OUTPUT OPTIONS	TUNABLE WATTAGE	CCT
4437	BZ – Brown	-HO – High Output	-3TW – 3 Selectable Wattages	-3CCT – 3 Selectable CCT Modes 3000K, 4000K, 5000K

Specifications and dimensions subject to change. Lumens are delivered unless otherwise noted. See website for most current information.

# 4434 | Vale



## Adjustable Wall Pack Full Cutoff

Deliver reliable, energy-efficient illumination with the Vale Adjustable Full Cutoff Exterior Wall Pack—designed to meet the evolving needs of modern exterior lighting. This fixture features field-adjustable wattages and selectable color temperatures (3000K, 4000K, 5000K), offering flexible performance to match various applications. Built for durability, it combines a tough aluminum housing with a high-quality polycarbonate lens in a sleek, compact rectangular form. The integrated photocell enables automatic dusk-to-dawn operation, enhancing energy savings and reducing maintenance. Rated for AC120-277V, this wall pack delivers glare-free, full-cutoff lighting—ideal for walkways, building perimeters, and security areas. With reliable performance and streamlined aesthetics, it's a smart choice for both commercial and residential environments.

ETL listed. Rated for use in wet locations. 70CRI. Dimmable  
1-year limited manufacturer's warranty.

### PERFORMANCE

MODEL #	LUMENS			WATTS	CCT	VOLTAGE
	HIGH	MED	LOW			
4434 (-LO)	3250	2600	1950	25/20/15W	3CCT	120/277V
4434	5200	4550	3640	40/35/28W	3CCT	120/277V
4434 (-HO)	9750	7800	5850	75/60/45W	3CCT	120/277V

### DIMENSIONS

**4434 (-LO)**  
L: 8" | W: 6.5" | H: 3.75"

**4434 & 4434 (-HO)**  
L: 11" | W: 8.5" | H: 4.5"

### ORDERING GUIDE

MODEL #	FINISH	OUTPUT OPTIONS	TUNABLE WATTAGE	CCT
4434	BZ – Brown	-LO – Low Output -HO – High Output	-3TW – 3 Selectable Wattages	-3CCT – 3 Selectable CCT Modes 3000K, 4000K, 5000K

# 4435 | Ashwind



## Adjustable Wall Pack Full Cutoff

Brighten compact outdoor spaces with the Ashwind Mini Exterior Wall Pack—an efficient, space-saving solution designed for performance and versatility. With selectable wattages and color temperatures (3000K, 4000K, 5000K), this fixture adapts easily to a range of exterior lighting needs. Its integrated design includes a built-in photocell for automatic dusk-to-dawn operation, optimizing energy use without added controls. The durable aluminum and polycarbonate construction ensures long-term reliability, while the compact rectangular form fits neatly in tight spaces. Rated for AC120-277V, this mini wall pack delivers powerful illumination in a sleek, brown-finished housing—perfect for entryways, pathways, and perimeter lighting at an unbeatable value.

ETL listed. Rated for use in wet locations. 70CRI. Dimmable  
1-year limited manufacturer's warranty.

### PERFORMANCE

MODEL #	LUMENS			WATTS	CCT	VOLTAGE
	HIGH	MED	LOW			
4435	3500	2800	2100	25/20/15W	3CCT	120/277V

### DIMENSIONS

**4435**  
L: 8" | W: 5.75" | H: 3"

### ORDERING GUIDE

Example: 4435BZ-3TW-3CCT

MODEL #	FINISH	TUNABLE WATTAGE	CCT
4435	BZ – Brown	-3TW – 3 Selectable Wattages	-3CCT – 3 Selectable CCT Modes 3000K, 4000K, 5000K

## This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook paper. There are no margins, text, or other markings on the page.





---

## **RP Lighting + Fans**

105 Declaration Dr,  
McDonough, GA 30253

(678) 432-6190 | [RPLighting.com](http://RPLighting.com)