



Summer 2026
Lighting Supplement

 Millennium | 



Two Brands. One Purpose.

Expanding What's Possible

For more than three decades, RP and Millennium have illuminated residential and commercial spaces across North America. Now united, they merge RP's value-driven, mixed-use expertise with Millennium's strength in decorative residential fixtures. The Summer 2026 Lighting Supplement introduces our new releases spanning decorative statements, recessed solutions, and undercabinet innovations for homes, commercial spaces, and today's workplaces.

Collection Overview

Millennium Indoor Lighting



Mairbourne
Pages 4-7



Marlbeck
Pages 8-9



Merylmint
Pages 10-13



Baumann
Pages 14-15



Ryehouse
Pages 16-17



Abelson
Pages 18-19



Coretta
Pages 20-21



Norah
Page 22



Kimorra
Page 23



Outdoor Accessories
Page 24

Collection Overview

RP Disk & Under Cabinet Lighting



Commercial Recessed Downlight
Pages 26-27



Commercial Slim Downlight
Pages 28-29



Commercial Slim Recessed
Page 30



Edge-Lit Slim Recessed
Page 31



Regressed Disk Downlight
Pages 32-33



Slim Disk Downlight
Pages 34-35



Edge-Lit Slim Surface Mount
Pages 36-37



8966WH-8972WH
Page 38



8966WH-8972WH CCT
Page 39



5CCT Under Cabinet
Page 40



Under Cabinet Accessories
Page 41



EM Battery Pack
Pages 42

Mairbourne



Matte Black Finish • White Linen Shade

Mairbourne's white linen shades and curved black metalwork create a softly tailored presence, blending modern and traditional design elements.



ITEM	TYPE	LOCATION	BULB WATTAGE	DIMENSION	CANOPY / BACKPLATE	WIRE / CHAIN
A. 28908-MB	Chandelier	Dry	8-60W Cand. Base	40"Dia. x 38.5"H	5.1"Dia. x .7"H	
B. 28904-MB	Pendant	Dry	4-60W Cand. Base	24"Dia. x 24"H	5.1"Dia. x .7"H	
C. 28905-MB	Chandelier	Dry	5-60W Cand. Base	34"Dia. x 32.5"H	5.1"Dia. x .7"H	
D. 28901-MB	Wall Sconce	Dry	1-60W Cand. Base	6.5"W x 22"H x 8"Ext.	5.1"Dia. x .7"D	
E. 28906-MB	Linear Chandelier	Dry	6-60W Cand. Base	48"W x 22.5"D x 29"H	5.1"Dia. x .7"H	

All fixtures are dimmable.

Mairbourne



Vintage Brass Finish • White Linen Shade

Mairbourne's white linen shades and curved brass metalwork create a softly tailored presence, blending modern and traditional design elements.



ITEM	TYPE	LOCATION	BULB WATTAGE	DIMENSION	CANOPY / BACKPLATE	WIRE / CHAIN
A. 28908-VB	Chandelier	Dry	8-60W Cand. Base	40"Dia. x 38.5"H	5.1"Dia. x .7"H	
B. 28904-VB	Pendant	Dry	4-60W Cand. Base	24"Dia. x 24"H	5.1"Dia. x .7"H	
C. 28905-VB	Chandelier	Dry	5-60W Cand. Base	34"Dia. x 32.5"H	5.1"Dia. x .7"H	
D. 28901-VB	Wall Sconce	Dry	1-60W Cand. Base	6.5"W x 22"H x 8"Ext.	5.1"Dia. x .7"D	
E. 28906-VB	Linear Chandelier	Dry	6-60W Cand. Base	48"W x 22.5"D x 29"H	5.1"Dia. x .7"H	

All fixtures are dimmable.

Marlbeck



Matte Black Finish • Off White Woven Cotton String Shade

Giving a transitional aesthetic, the Marlbeck collection's light shades feature tightly woven cotton string, bringing a woven textile, handcrafted feel.



A. 28805-MB



B. 28804-MB

C. 28803-MB

ITEM	TYPE	LOCATION	BULB WATTAGE	DIMENSION	CANOPY / BACKPLATE	WIRE / CHAIN
A. 28805-MB	Linear Chandelier	Dry	5-60W Cand. Base	46.25"W x 10.5"D x 10.25"H	12"L x 4.6"W x .8"H	
B. 28804-MB	Pendant	Dry	4-60W Cand. Base	26"Dia. x 9"H	5.1"Dia. x .8"H	
C. 28803-MB	Semi-Flush	Dry	3-60W Cand. Base	18"Dia. x 12"H	5.1"Dia. x .8"H	

All fixtures are dimmable.

Merylmint



Matte Black Finish

Inspired by a free flowing herb garden, the Merylmint filters light into a dappled, organic shimmer, evoking wild botanical movement across the room.



ITEM	TYPE	LOCATION	BULB WATTAGE	DIMENSION	CANOPY / BACKPLATE	WIRE / CHAIN
A. 28308-MB	Pendant	Dry	8-60W Cand. Base	28"Dia. x 10.75"H	5.1"Dia. x 1.7"H	
B. 28306-MB	Pendant	Dry	6-60W Cand. Base	21"Dia. x 9"H	5.1"Dia. x 1.7"H	
C. 28304-MB	Semi-Flush	Dry	4-60W Cand. Base	15.75"Dia. x 12.75"H	5.1"Dia. x 1.7"H	

All fixtures are dimmable.

Merylmint



Painted Aged Brass Finish

Inspired by a free flowing herb garden, the Merylmint filters light into a dappled, organic shimmer, evoking wild botanical movement across the room.



A. 28308-PAB



B. 28306-PAB



C. 28304-PAB

ITEM	TYPE	LOCATION	BULB WATTAGE	DIMENSION	CANOPY / BACKPLATE	WIRE / CHAIN
A. 28308-PAB	Pendant	Dry	8-60W Cand. Base	28"Dia. x 10.75"H	5.1"Dia. x 1.7"H	
B. 28306-PAB	Pendant	Dry	6-60W Cand. Base	21"Dia. x 9"H	5.1"Dia. x 1.7"H	
C. 28304-PAB	Semi-Flush	Dry	4-60W Cand. Base	15.75"Dia. x 12.75"H	5.1"Dia. x 1.7"H	

All fixtures are dimmable.

Baumann



Vintage Brass Finish • Etched White Glass

With its vintage brass finish and etched white glass, the Baumann light delivers a versatile transitional style that complements a vast range of interiors.



A. 5221-VB



B. 5223-VB



C. 5225-VB

ITEM	TYPE	LOCATION	BULB WATTAGE	DIMENSION	CANOPY / BACKPLATE	WIRE / CHAIN
A. 5221-VB	Flush Mount	Damp	1-100W Med. Base	10.5" Dia. x 4"H	10.5" Dia. x 1.5"H	
B. 5223-VB	Flush Mount	Damp	2-60W Med. Base	12.5" Dia. x 4.25"H	12.5" Dia. x 1.5"H	
C. 5225-VB	Flush Mount	Damp	3-60W Med. Base	14" Dia. x 5"H	14" Dia. x 1.63"H	

All fixtures are dimmable.

Ryehouse



Matte Black or Chrome Finish • Clear Ribbed Glass

Channeling classic barware that adds texture and character in modern interiors; the Ryehouse collection is distinguished by its ribbed, whiskey tumbler style glass.



A. 28701-MB

B. 28702-MB



C. 28703-MB



D. 28701-CH



E. 28702-CH



F. 28703-CH

ITEM	TYPE	LOCATION	BULB WATTAGE	DIMENSION	CANOPY / BACKPLATE	WIRE / CHAIN
A. 28701-MB	Wall Sconce	Damp	1-60W Med. Base	5"W x 8.25"H x 7"Ext.	5"Dia. x .8"D	
B. 28702-MB	Vanity	Damp	2-60W Med. Base	14"W x 8.25"H x 7"Ext.	5"Dia. x .8"D	
C. 28703-MB	Vanity	Damp	3-60W Med. Base	23.75"W x 8.25"H x 7"Ext.	5"Dia. x .8"D	
D. 28701-CH	Wall Sconce	Damp	1-60W Med. Base	5"W x 8.25"H x 7"Ext.	5"Dia. x .8"D	
E. 28702-CH	Vanity	Damp	2-60W Med. Base	14"W x 8.25"H x 7"Ext.	5"Dia. x .8"D	
F. 28703-CH	Vanity	Damp	3-60W Med. Base	23.75"W x 8.25"H x 7"Ext.	5"Dia. x .8"D	

All fixtures are dimmable.

Abelson



Matte Black or Chrome Finish • Opal Ribbed Glass

Abelson's ribbed opal glass and tailored metal framing create a bold, graphic statement, delivering a refined interplay of texture and light.



A. 23102-MB



B. 23103-MB



C. 23102-CH



D. 23103-CH

ITEM	TYPE	LOCATION	BULB WATTAGE	DIMENSION	CANOPY / BACKPLATE	WIRE / CHAIN
A. 23102-MB	Vanity	Damp	2-60W Med. Base	14"W x 7.75"H x 6"Ext.	7.9"W x 4.7"H x .8"D	
B. 23103-MB	Vanity	Damp	3-60W Med. Base	22"W x 7.75"H x 6"Ext.	7.9"W x 4.7"H x .8"D	
C. 23102-CH	Vanity	Damp	2-60W Med. Base	14"W x 7.75"H x 6"Ext.	7.9"W x 4.7"H x .8"D	
D. 23103-CH	Vanity	Damp	3-60W Med. Base	22"W x 7.75"H x 6"Ext.	7.9"W x 4.7"H x .8"D	

All fixtures are dimmable.

Coretta



Matte Black Finish • Etched Opal Glass

Imparting industrial restraint with rustic warmth, the Coretta casts a soft, atmospheric glow across modern interiors.



A. 215103-MB



B. 215103-MB

ITEM	TYPE	LOCATION	BULB WATTAGE	DIMENSION	CANOPY / BACKPLATE	WIRE / CHAIN
A. 215101-MB	Wall Sconce	Damp	1-60W Cand. Base	6"W x 15.75"H x 7.5"Ext.	4.75"W x 5.5"H x .75"D	
B. 215103-MB	Vanity	Damp	3-60W Cand. Base	26"W x 10"H x 7.5"Ext.	8.75"W x 4.75"H x .75"D	

All fixtures are dimmable.

Norah



Chrome Finish • Opal Ribbed Glass

Blending gentle dimensions with contemporary refinement, the Norah collection adds a bright, tailored presence to bath and powder rooms.



A. 22302-CH

B. 22303-CH



C. 22304-CH

ITEM	TYPE	LOCATION	BULB WATTAGE	DIMENSION	CANOPY / BACKPLATE	WIRE / CHAIN
A. 22302-CH	Vanity	Damp	2-60W Med. Base	15"W x 8.75"H x 5.75"Ext.	5.1"Dia. x .7"D	
B. 22303-CH	Vanity	Damp	3-60W Med. Base	22.75"W x 8.75"H x 5.75"Ext.	5.1"Dia. x .7"D	
C. 22304-CH	Vanity	Damp	4-60W Med. Base	32"W x 8.75"H x 5.75"Ext.	5.1"Dia. x .7"D	

All fixtures are dimmable.

Kimorra



Chrome Finish • White Cloud Glass

Distinguished by its blown glass globes ribbed with cloud like swirls; the Kimorra brightens bathrooms with a serene, contemporary glow.



A. 18102-CH



B. 18103-CH

ITEM	TYPE	LOCATION	BULB WATTAGE	DIMENSION	CANOPY / BACKPLATE	WIRE / CHAIN
A. 18102-CH	Vanity	Damp	2-60W Med. Base	15.25"W x 8"H x 8.25"Ext.	5.13"Dia. x .75"D	
B. 18103-CH	Vanity	Damp	2-60W Med. Base	24"W x 8"H x 8.25"Ext.	5.13"Dia. x .75"D	


All fixtures are dimmable.

Outdoor Accessories

Powder Coated Black Finish



A. 80011-PBK



B. 80010-PBK

ITEM	TYPE	LOCATION	BULB WATTAGE	DIMENSION	CANOPY / BACKPLATE	WIRE / CHAIN
A. 80011-PBK	Post Mount Accessory	Wet		3" Dia. x 84"H		
B. 80010-PBK	Pier Mount Accessory	Wet		5.75" Sq. x 3.5"H		



Commercial Recessed Downlight



White Finish • Clear or Diffused Lens

Engineered for wet environments, this series delivers commercial code-compliant, high CRI output and three-color selection. Energy-efficient TRIAC dimming available in select sizes.



A. 8022CL-3W-4-3CCT



B. 8022CL-3W-6-3CCT



C. 8022CL-3W-8-3CCT



D. 8022WH-3W-4-3CCT



E. 8022WH-3W-6-3CCT



F. 8022WH-3W-8-3CCT



G. 8022WHD-3W-4-3CCT



H. 8022WHD-3W-6-3CCT



I. 8022WHD-3W-8-3CCT

ITEM	LOCATION	LED WATTS	DELIVERED LUMENS	CRI	DIMENSION	COLOR TEMPERATURE (K)	DIMMABLE	SPECIAL FEATURES
A. 8022CL-3W-4-3CCT	Wet	7W, 9W, 12W	1000	90	5.5" Dia. x 4.5"H	30K, 35K, 40K	0-10v	Multi CCT
B. 8022CL-3W-6-3CCT	Wet	12W, 16W, 20W	2000	90	7.5" Dia. x 4.5"H	30K, 35K, 40K	0-10v	Multi CCT
C. 8022CL-3W-8-3CCT	Wet	15W, 20W, 25W	2500	90	9.75" Dia. x 4.5"H	30K, 35K, 40K	0-10v	Multi CCT
D. 8022WH-3W-4-3CCT	Wet	7W, 9W, 12W	1100	90	5.5" Dia. x 4.5"H	30K, 35K, 40K	0-10v	Multi CCT
E. 8022WH-3W-6-3CCT	Wet	12W, 16W, 20W	2100	90	7.5" Dia. x 4.5"H	30K, 35K, 40K	0-10v	Multi CCT
F. 8022WH-3W-8-3CCT	Wet	15W, 20W, 25W	2700	90	9.75" Dia. x 4.5"H	30K, 35K, 40K	0-10v	Multi CCT
G. 8022WHD-3W-4-3CCT	Wet	7W, 9W, 12W	1100	90	5.5" Dia. x 4.5"H	30K, 35K, 40K	Triac 0-10v	Multi CCT
H. 8022WHD-3W-6-3CCT	Wet	12W, 16W, 20W	2100	90	7.5" Dia. x 4.5"H	30K, 35K, 40K	Triac 0-10v	Multi CCT
I. 8022WHD-3W-8-3CCT	Wet	15W, 20W, 25W	2700	90	9.75" Dia. x 4.5"H	30K, 35K, 40K	Triac 0-10v	Multi CCT

CL: Clear Lens | WH/WHD: Diffused Lens

Commercial Slim Downlight



White Finish - Diffused Lens

Crafted to deliver long life illumination, these wet-rated, code-compliant downlights offer five-color selection. Energy-efficient TRIAC dimming available in select sizes.



A. 8522WH-3W-4-5CCT



B. 8522WH-3W-6-5CCT



C. 8522WH-3W-8-5CCT



E. 8522WHD-3W-4-5CCT



F. 8522WHD-3W-6-5CCT



G. 8522WHD-3W-8-5CCT

ITEM	LOCATION	LED WATTS	DELIVERED LUMENS	CRI	DIMENSION	COLOR TEMPERATURE (K)	DIMMABLE	SPECIAL FEATURES
A. 8522WH-3W-4-5CCT	Wet	8W, 10W, 12W	1100	90	5.5" Dia. x 2.25"H	27K, 30K, 35K, 40K, 50K	0-10v	Multi CCT
B. 8522WH-3W-6-5CCT	Wet	12W, 15W, 18W	1800	90	7.5" Dia. x 2.25"H	27K, 30K, 35K, 40K, 50K	0-10v	Multi CCT
C. 8522WH-3W-8-5CCT	Wet	15W, 20W, 25W	2800	90	9.5" Dia. x 2.25"H	27K, 30K, 35K, 40K, 50K	0-10v	Multi CCT
D. 8522WHD-3W-4-5CCT	Wet	8W, 10W, 12W	1100	90	5.5" Dia. x 2.25"H	27K, 30K, 35K, 40K, 50K	0-10v	Multi CCT
E. 8522WHD-3W-6-5CCT	Wet	12W, 15W, 18W	1800	90	7.5" Dia. x 2.25"H	27K, 30K, 35K, 40K, 50K	0-10v	Multi CCT
F. 8522WHD-3W-8-5CCT	Wet	15W, 20W, 25W	2800	90	9.5" Dia. x 2.25"H	27K, 30K, 35K, 40K, 50K	0-10v	Multi CCT

Commercial Slim Recessed



White Finish • Diffused Lens

Engineered for commercial grade installations and wet rated, this series features a slim 2.5 inch depth, five color selection, and a high CRI. Energy efficient TRIAC dimming is available in select sizes.



A. 8524WH-3W-4-5CCT



B. 8524WH-3W-6-5CCT



C. 8524WH-3W-8-5CCT

ITEM	LOCATION	LED WATTS	DELIVERED LUMENS	CRI	DIMENSION	COLOR TEMPERATURE (K)	DIMMABLE	SPECIAL FEATURES
A. 8524WH-3W-4-5CCT	Wet	8W, 10W, 12W	1100	90	5.5" Dia. x 2.5"H	27K, 30K, 35K, 40K, 50K	0-10v	Low Profile, Multi CCT
B. 8524WH-3W-6-5CCT	Wet	12W, 15W, 18W	1700	90	7.5" Dia. x 2.5"H	27K, 30K, 35K, 40K, 50K	0-10v	Low Profile, Multi CCT
C. 8524WH-3W-8-5CCT	Wet	15W, 20W, 25W	2500	90	9.5" Dia. x 2.5"H	27K, 30K, 35K, 40K, 50K	0-10v	Low Profile, Multi CCT

Edge-Lit Slim Recessed



White Finish • Diffused Lens

Designed for shallow plenums and installations, these wet-rated lights feature a fixed 3000K color light and serves spaces where canned recessed fixtures are not suited.



A. 8540WH-4-3K



B. 8540WH-6-3K

ITEM	LOCATION	LED WATTS	DELIVERED LUMENS	CRI	DIMENSION	COLOR TEMPERATURE (K)	DIMMABLE	SPECIAL FEATURES
A. 8540WH-4-3K	Wet	9W	600	90	4.75" Dia. x 1"H	30K	Triac/ELV	Edgelit, Low-Plenum
B. 8540WH-6-3K	Wet	14W	1000	90	6.75" Dia. x 1"H	30K	Triac/ELV	Edgelit, Low-Plenum

Regressed Disk Downlight



White Finish • Diffused Lens

With a refined grooved trim and low profile wet rated construction, this downlight delivers long life, high CRI commercial-code illumination, offered in either fixed 3000K or five-color selection.



A. 8530WH-13-3K



B. 8530WH-13-5CCT



C. 8530WH-4-3K



D. 8530WH-4-5CCT



E. 8530WH-6-3K



F. 8530WH-6-5CCT



G. 8530WH-9-3K



H. 8530WH-9-5CCT

ITEM	LOCATION	LED WATTS	DELIVERED LUMENS	CRI	DIMENSION	COLOR TEMPERATURE (K)	DIMMABLE	SPECIAL FEATURES
A. 8530WH-13-3K	Wet	24W	1800	90	13" Dia. x 1.75"H	30K	Triac/ELV	Grooved Trim, Regress
B. 8530WH-13-5CCT	Wet	24W	1800	90	13" Dia. x 1.75"H	27K, 30K, 35K, 40K, 50K	Triac/ELV	Multi CCT, Grooved trim, Regress
C. 8530WH-4-3K	Wet	8W	700	90	6.25" Dia. x 1"H	30K	Triac/ELV	Grooved Trim, Regress
D. 8530WH-4-5CCT	Wet	8W	700	90	6.25" Dia. x 1"H	27K, 30K, 35K, 40K, 50K	Triac/ELV	Multi CCT, Grooved Trim, Regress
E. 8530WH-6-3K	Wet	14W	1200	90	7.5" Dia. x 1.25"H	30K	Triac/ELV	High Lumens, Grooved Trim, Regress
F. 8530WH-6-5CCT	Wet	14W	1200	90	7.5" Dia. x 1.25"H	27K, 30K, 35K, 40K, 50K	Triac/ELV	Multi CCT, High Lumens, Grooved Trim, Regress
G. 8530WH-9-3K	Wet	17W	1300	90	9" Dia. x 1.5"H	30K	Triac/ELV	Grooved Trim, Regress
H. 8530WH-9-5CCT	Wet	17W	1300	90	9" Dia. x 1.5"H	27K, 30K, 35K, 40K, 50K	Triac/ELV	Multi CCT, Grooved Trim, Regress

Slim Disk Downlight



White Finish • Diffused Lens

With a low profile wet rated design, this downlight delivers high CRI, low glare illumination for modern residential and commercial spaces, offered with 3000K or five-color selection in some sizes.



E. 8531WH-4-3K




F. 8531WH-4-5CCT




A. 8531WH-S-6-5CCT



B. 8531WH-SP-6-5CCT



G. 8531WH-9-3K



H. 8531WH-9-5CCT



C. 8531WH-6-3K



D. 8531WH-6-5CCT

ITEM	LOCATION	LED WATTS	DELIVERED LUMENS	CRI	DIMENSION	COLOR TEMPERATURE (K)	DIMMABLE	SPECIAL FEATURES
A. 8531WH-S-6-5CCT	Wet	14W	1000	90	7.5" Dia. x 1.5"H	27K, 30K, 35K, 40K, 50K	N/A	Multi CCT, PIR Motion Sensor, Low-Profile, Smooth Trim
B. 8531WH-SP-6-5CCT	Wet	14W	1000	90	7.5" Dia. x 1.5"H	27K, 30K, 35K, 40K, 50K	N/A	Multi CCT, PIR Motion Sensor with Photocell, Low-Profile, Smooth Trim
C. 8531WH-6-3K	Wet	11W	1000	90	7.5" Dia. x 1"H	30K	N/A	Low-Profile, Smooth Trim
D. 8531WH-6-5CCT	Wet	11W	1000	90	7.5" Dia. x 1"H	27K, 30K, 35K, 40K, 50K	N/A	Multi CCT, Low-Profile, Smooth Trim
E. 8531WH-4-3K	Wet	8W	700	90	6" Dia. x 1"H	30K	N/A	Low-Profile, Smooth Trim
F. 8531WH-4-5CCT	Wet	8W	700	90	6" Dia. x 1"H	27K, 30K, 35K, 40K, 50K	N/A	Multi CCT, Low-Profile, Smooth Trim
G. 8531WH-9-3K	Wet	17W	1300	90	9.5" Dia. x 1.75"H	30K	N/A	Low-Profile, Smooth Trim
H. 8531WH-9-5CCT	Wet	17W	1300	90	9.5" Dia. x 1.75"H	27K, 30K, 35K, 40K, 50K	N/A	Multi CCT, Low-Profile, Smooth Trim

Edge-Lit Slim Surface Mount



White Finish • Diffused Lens

With a 0.75 inch profile, this series installs easily in narrow plenums, delivering bright illumination with a 3000K or five color selection and a damp or wet rating in select sizes.




A. 8532WH-11-3K



B. 8532WH-11-5CCT



C. 8532WH-15-3K



D. 8532WH-5-3K



E. 8532WH-5-5CCT



F. 8532WH-7-3K



G. 8532WH-7-3K-EM



H. 8532WH-7-5CCT



I. 8532WH-7-5CCT-EM

ITEM	LOCATION	LED WATTS	DELIVERED LUMENS	CRI	DIMENSION	COLOR TEMPERATURE (K)	DIMMABLE	SPECIAL FEATURES
A. 8532WH-11-3K	Damp	18W	1400	90	11" Dia. x .75"H	30K	Triac/ELV	Edgelit Slim
B. 8532WH-11-5CCT	Damp	26W	1500	90	11.25" Dia. x .75"H	27K, 30K, 35K, 40K, 50K	Triac/ELV	Multi CCT, Edgelit Slim
C. 8532WH-15-3K	Damp	32W	2400	90	16" Dia. x .75"H	30K	Triac/ELV	Edgelit Slim
D. 8532WH-5-3K	Wet	11W	700	90	5.5" Dia. x .75"H	30K	Triac/ELV	Edgelit Slim
E. 8532WH-5-5CCT	Wet	12W	700	90	5.75" Dia. x .75"H	27K, 30K, 35K, 40K, 50K	Triac/ELV	Multi CCT, Edgelit Slim
F. 8532WH-7-3K	Wet	16W	1000	90	7" Dia. x .75"H	30K	Triac/ELV	Edgelit Slim
G. 8532WH-7-3K-EM	Damp	17W	1000	90	7" Dia. x 1.75"H	30K	Triac/ELV	Edgelit Slim, Integrated Reliable Emergency Backup
H. 8532WH-7-5CCT	Wet	16W	1000	90	7.25" Dia. x .75"H	27K, 30K, 35K, 40K, 50K	Triac/ELV	Multi CCT
I. 8532WH-7-5CCT-EM	Damp	17W	1000	90	7" Dia. x 1.75"H	27K, 30K, 35K, 40K, 50K	Triac/ELV	Edgelit Slim, Integrated Reliable Emergency Backup

8966WH-8972WH



White Finish • Diffused Lens

The energy efficient, easy to install, and linkable under cabinet fixtures are suitable for residential and commercial areas, including damp locations.



Available in 7 Sizes:
9", 12", 18", 21", 24", 36", 48"

ITEM	LOCATION	LED WATTS	DELIVERED LUMENS	CRI	DIMENSION	COLOR TEMPERATURE (K)	DIMMABLE	SPECIAL FEATURES
8966WH	Damp	4W	200	90	9"L x 3.75"W x 1"H	30K	Triac 0-10v	Quick Connect
8967WH	Damp	5W	270	90	12"L x 3.75"W x 1"H	30K	Triac 0-10v	Quick Connect
8968WH	Damp	7W	420	90	18"L x 3.75"W x 1"H	30K	Triac 0-10v	Quick Connect
8969WH	Damp	8W	460	90	21"L x 3.75"W x 1"H	30K	Triac 0-10v	Quick Connect
8970WH	Damp	9W	580	90	24"L x 3.75"W x 1"H	30K	Triac 0-10v	Quick Connect
8971WH	Damp	13W	800	90	36"L x 3.75"W x 1"H	30K	Triac 0-10v	Quick Connect
8972WH	Damp	17W	1070	90	48"L x 3.75"W x 1"H	30K	Triac 0-10v	Quick Connect

8966WH-8972WH CCT



White Finish • Diffused Lens

The easy to install design is energy efficient and offers five-color selection, suited for residential and commercial use in damp conditions.



Available in 7 Sizes:
9", 12", 18", 21", 24", 36", 48"

ITEM	LOCATION	LED WATTS	DELIVERED LUMENS	CRI	DIMENSION	COLOR TEMPERATURE (K)	DIMMABLE	SPECIAL FEATURES
8966WH-2734	Damp	4W	250	90	9"L x 3.75"W x 1.25"H	27K, 30K, 40K	Triac 0-10v	Multi CCT
8967WH-5CCT	Damp	5W	315	90	12"L x 3.75"W x 1"H	27K, 30K, 35K, 40K, 50K	Triac 0-10v	Multi CCT
8968WH-5CCT	Damp	7W	500	90	18"L x 3.75"W x 1"H	27K, 30K, 35K, 40K, 50K	Triac 0-10v	Multi CCT
8969WH-5CCT	Damp	8W	595	90	21"L x 3.75"W x 1"H	27K, 30K, 35K, 40K, 50K	Triac 0-10v	Multi CCT
8970WH-5CCT	Damp	9W	670	90	24"L x 3.75"W x 1"H	27K, 30K, 35K, 40K, 50K	Triac 0-10v	Multi CCT
8971WH-5CCT	Damp	13W	900	90	36"L x 3.75"W x 1"H	27K, 30K, 35K, 40K, 50K	Triac 0-10v	Multi CCT
8972WH-5CCT	Damp	17W	1190	90	48"L x 3.75"W x 1"H	27K, 30K, 35K, 40K, 50K	Triac 0-10v	Multi CCT

5CCT Under Cabinet



White Finish • Diffused Lens

Designed for versatility and performance; this series delivers energy efficient illumination in residential and commercial damp locations and features five color selection.



Available in 7 Sizes:
9", 12", 18", 24", 33", 40", 46"

ITEM	LOCATION	LED WATTS	DELIVERED LUMENS	CRI	DIMENSION	COLOR TEMPERATURE (K)	DIMMABLE	SPECIAL FEATURES
8973WH-5CCT	Damp	4W	280	90	9"L x 3.5"W x 1.4"H	27K, 30K, 35K, 40K, 50K	Triac 0-10v	Multi CCT
8974WH-5CCT	Damp	5W	350	90	12"L x 3.5"W x 1.4"H	27K, 30K, 35K, 40K, 50K	Triac 0-10v	Multi CCT
8975WH-5CCT	Damp	10W	700	90	18"L x 3.5"W x 1.4"H	27K, 30K, 35K, 40K, 50K	Triac 0-10v	Multi CCT
8976WH-5CCT	Damp	12W	840	90	24"L x 3.5"W x 1.4"H	27K, 30K, 35K, 40K, 50K	Triac 0-10v	Multi CCT
8977WH-5CCT	Damp	16W	1120	90	33"L x 3.5"W x 1.4"H	27K, 30K, 35K, 40K, 50K	Triac 0-10v	Multi CCT
8978WH-5CCT	Damp	20W	1400	90	40"L x 3.5"W x 1.4"H	27K, 30K, 35K, 40K, 50K	Triac 0-10v	Multi CCT
8979WH-5CCT	Damp	20W	1400	90	46"L x 3.5"W x 1.4"H	27K, 30K, 35K, 40K, 50K	Triac 0-10v	Multi CCT

Under Cabinet Accessories

White



A. 897CN



B. 897CN-6



C. 897CN-12



D. 897CN-24

ITEM	DESCRIPTION
A. 897CN	End to end Connector 8966-8972
B. 897CN-6	6in connector cord 8966-8972 Under cabs
C. 897CN-12	12in connector cord 8966-8972 Under cabs
D. 897PC-24	24in power cord 8966-8972 Under cabs

EM Battery Pack




Red Finish

Designed to instantly activate during outages, this damp-rated emergency light battery pairs high output performance with a standardized quick interface connection across compatible fixtures.



A. 4788EM



B. 4789EM

ITEM	LOCATION	WATTS	DIMENSION	SPECIAL FEATURES
A. 4788EM	Damp	8W	8"L x 3.25"W x 1.75"H	Standardized EM quick interface
B. 4789EM	Damp	15W	8"L x 3.25"W x 1.75"H	Standardized EM quick interface

Index

897CN.....	41	8531WH-SP-6-5CCT.....	35	28304-MB.....	11
897CN-6.....	41	8532WH-5-3K.....	37	28304-PAB.....	13
897CN-12.....	41	8532WH-5-5CCT.....	37	28306-MB.....	11
897PC-24.....	41	8532WH-7-3K.....	37	28306-PAB.....	13
4788EM.....	42	8532WH-7-3K-EM.....	37	28308-MB.....	11
4789EM.....	42	8532WH-7-5CCT.....	37	28308-PAB.....	13
5221-VB.....	15	8532WH-7-5CCT-EM.....	37	28701-CH.....	17
5223-VB.....	15	8532WH-11-3K.....	37	28701-MB.....	17
5225-VB.....	15	8532WH-11-5CCT.....	37	28702-CH.....	17
8022CL-3W-4-3CCT.....	27	8532WH-15-3K.....	37	28702-MB.....	17
8022CL-3W-6-3CCT.....	27	8540WH-4-3K.....	31	28703-CH.....	17
8022CL-3W-8-3CCT.....	27	8540WH-6-3K.....	31	28703-MB.....	17
8022WH-3W-4-3CCT.....	27	8966WH.....	38	28803-MB.....	9
8022WH-3W-6-3CCT.....	27	8966WH-2734.....	39	28804-MB.....	9
8022WH-3W-8-3CCT.....	27	8967WH.....	38	28805-MB.....	9
8022WHD-3W-4-3CCT.....	27	8967WH-5CCT.....	39	28901-MB.....	5
8022WHD-3W-6-3CCT.....	27	8968WH.....	38	28901-VB.....	7
8022WHD-3W-8-3CCT.....	27	8968WH-5CCT.....	39	28904-MB.....	5
8522WH-3W-4-5CCT.....	29	8969WH.....	38	28904-VB.....	7
8522WH-3W-6-5CCT.....	29	8969WH-5CCT.....	39	28905-MB.....	5
8522WH-3W-8-5CCT.....	29	8970WH.....	38	28905-VB.....	7
8522WHD-3W-4-5CCT.....	29	8970WH-5CCT.....	39	28906-MB.....	5
8522WHD-3W-6-5CCT.....	29	8971WH.....	38	28906-VB.....	7
8522WHD-3W-8-5CCT.....	29	8971WH-5CCT.....	39	28908-MB.....	5
8524WH-3W-4-5CCT.....	30	8972WH.....	38	28908-VB.....	7
8524WH-3W-6-5CCT.....	30	8972WH-5CCT.....	39	80010-PBK.....	24
8524WH-3W-8-5CCT.....	30	8973WH-5CCT.....	40	80011-PBK.....	24
8530WH-4-3K.....	33	8974WH-5CCT.....	40	215101-MB.....	21
8530WH-4-5CCT.....	33	8975WH-5CCT.....	40	215103-MB.....	21
8530WH-6-3K.....	33	8976WH-5CCT.....	40		
8530WH-6-5CCT.....	33	8977WH-5CCT.....	40		
8530WH-9-3K.....	33	8978WH-5CCT.....	40		
8530WH-9-5CCT.....	33	8979WH-5CCT.....	40		
8530WH-13-3K.....	33	18102-CH.....	23		
8530WH-13-5CCT.....	33	18103-CH.....	23		
8531WH-4-3K.....	35	22302-CH.....	22		
8531WH-4-5CCT.....	35	22303-CH.....	22		
8531WH-6-3K.....	35	22304-CH.....	22		
8531WH-6-5CCT.....	35	23102-CH.....	19		
8531WH-9-3K.....	35	23102-MB.....	19		
8531WH-9-5CCT.....	35	23103-CH.....	19		
8531WH-S-6-5CCT.....	35	23103-MB.....	19		



105 Declaration Dr, McDonough, GA 30253 | (678) 432-6190
millenniumlighting.com | rplighting.com