



Summer 2026
Fan Supplement



Two Brands. One Purpose.

Expanding What's Possible

For more than three decades, Millennium and RP have illuminated residential and commercial spaces across North America. Now united, they combine RP's expertise in priced right, light-commercial products with Millennium's strength in decorative residential fixtures.

Headquartered in McDonough, GA and supported by a nationwide sales network, the organization offers a merged catalog spanning chandeliers, wall lighting, ceiling fans, recessed and surface mount solutions, undercabinet lighting, and vanity categories.





Collection Overview

Millennium Fans



Trestwyn 52"

Pages 6-7



Kylpin 52"

Pages 8-9



Kylpin 60"

Pages 10-11



Hammerlin 52"

Pages 12-13



Hammerlin 60"

Pages 14-15



Lockbourne 48"

Pages 16-17



Karrston 54"

Pages 18-19



Karrston 60"

Pages 20-21



Cirova 52"

Pages 28-29



Airstra 52"

Pages 30-31

Collection Overview

Millennium Fans



Wynleaf 52"

Pages 32-33



Wynleaf 72"

Pages 34-35

RP Fans



Coltstaff 52"

Pages 22-23



Kintrel 52"

Pages 24-25



Marisella 52"

Pages 26-27



Brisden 52"

Pages 36-37



Velbreeze 52"

Pages 38-39



Calivane 52"

Pages 40-41



Galeson 52"

Pages 42-43

Trestwyn



52" Indoor Ceiling Fan 3 Blades • 52" Sweep

The Trestwyn ceiling fan. Crisp and compact in profile, it feels both contemporary and approachable, with subtle industrial undertones adding quiet character. Damp rated, it includes 5CCT color selection, dimmability, four-speed control, and reversible rotation.

- Includes optional light kit cover.



A. 1100LED-BR-MBK

Brass/Matte Black Finish • Matte Black Blades



B. 1100LED-BR-MWW

Brass/Matte White Finish • Matte White Blades



C. 1100LED-BP-BP
Brushed Pewter Finish • Brushed Pewter Blades



D. 1100LED-MBK-MBK
Matte Black Finish • Matte Black Blades



E. 1100LED-MWW-MWW
Matte White Finish • Matte White Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED	WATTAGE	CCT	CRI
A. 1100LED-BR-MBK	Damp	52"W x 14"H	WC-8	4370.22	AC • 153x15mm	4	Yes	20W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
B. 1100LED-BR-MWW	Damp	52"W x 14"H	WC-8	4370.22	AC • 153x15mm	4	Yes	20W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
C. 1100LED-BP-BP	Damp	52"W x 14"H	WC-8	4370.22	AC • 153x15mm	4	Yes	20W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
D. 1100LED-MBK-MBK	Damp	52"W x 14"H	WC-8	4370.22	AC • 153x15mm	4	Yes	20W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
E. 1100LED-MWW-MWW	Damp	52"W x 14"H	WC-8	4370.22	AC • 153x15mm	4	Yes	20W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90

• All Millennium fans include 6" downrods in the box.

52" Indoor Ceiling Fan 3 ABS Blades • 52" Sweep

A minimalistic profile and all-white finish delivers contemporary versatility in the 52-inch Kylpin fan. Damp rated for moisture-prone areas like bathrooms and kitchens, it delivers reliable performance with 5CCT color selection, reversible rotation, four-speed control, and wall control for flexible, year-round comfort.

- Includes optional light kit cover.



A. 1101LED-BR-MBK

Brass and Matte Black Finish • Matte Black Blades



B. 1101LED-BP-BP
Brushed Pewter Finish • Brushed Pewter Blades



C. 1101LED-MBK-MBK
Matte Black Finish • Matte Black Blades



D. 1101LED-MWW-MWW
Matte White Finish • Matte White Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED	WATTAGE	CCT	CRI
A. 1101LED-BR-MBK	Damp	52" W x 14.75" H	WC-8	5235.67	AC • 153x15mm	4	Yes	20W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
B. 1101LED-BP-BP	Damp	52" W x 14.75" H	WC-8	5235.67	AC • 153x15mm	4	Yes	20W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
C. 1101LED-MBK-MBK	Damp	52" W x 14.75" H	WC-8	5235.67	AC • 153x15mm	4	Yes	20W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
D. 1101LED-MWW-MWW	Damp	52" W x 14.75" H	WC-8	5235.67	AC • 153x15mm	4	Yes	20W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90

• All Millennium fans include 6" downrods in the box.

60" Indoor/Outdoor Ceiling Fan 3 ABS Blades • 60" Sweep

Clean architectural simplicity defines this 60-inch three-blade Kypin fan, designed to elevate indoor and outdoor living spaces with a serene modern presence. Wet rated for outdoor installation, it includes 5CCT color selection, reversible rotation, four-speed control, and wall control for versatile, all-season comfort.

- Includes optional light kit cover.



A. 1111LED-BR-MBK

Brass and Matte Black Finish • Matte Black Blades



B. 1111LED-BP-BP
Brushed Pewter Finish · Brushed Pewter Blades



C. 1111LED-MBK-MBK
Matte Black Finish · Matte Black Blades



D. 1111LED-MWW-MWW
Matte White Finish · Matte White Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED	WATTAGE	CCT	CRI
A. 1111LED-BR-MBK	Wet	60" W x 14.75" H	WC-8	5715.44	AC · 172x14mm	4	Yes	20W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
B. 1111LED-BP-BP	Wet	60" W x 14.75" H	WC-8	5715.44	AC · 172x14mm	4	Yes	20W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
C. 1111LED-MBK-MBK	Wet	60" W x 14.75" H	WC-8	5715.44	AC · 172x14mm	4	Yes	20W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
D. 1111LED-MWW-MWW	Wet	60" W x 14.75" H	WC-8	5715.44	AC · 172x14mm	4	Yes	20W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90

· All Millennium fans include 6" downrods in the box.


Hammerlin



CEC

52" Indoor Ceiling Fan 3 ABS Blades • 52" Sweep

Bold restraint shapes this 52-inch three-blade ceiling fan, designed to ground modern interiors with sculptural simplicity. Its wrapped blade design produces a subtle sense of motion even at rest. Features 5CCT, reversible rotation, and four-speed control for precise, efficient airflow year-round.



A. 1103LED-BR-MBK
Brass Finish • Matte Black Blades



B. 1103LED-BN-MP
Brushed Nickel Finish • Maple Blades



C. 1103LED-BP-BP
Brushed Pewter Finish • Brushed Pewter Blades



ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED	WATTAGE	CCT	CRI
A. 1103LED-BR-MBK	Damp	52"W x 15.25"H	WC-8	5295.37	AC • 153x15mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
B. 1103LED-BP-MP	Damp	52"W x 15.25"H	WC-8	5295.37	AC • 153x15mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
C. 1103LED-BP-BP	Damp	52"W x 15.25"H	WC-8	5295.37	AC • 153x15mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
D. 1103LED-MBK-MBK	Damp	52"W x 15.25"H	WC-8	5295.37	AC • 153x15mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
E. 1103LED-MBK-WT	Damp	52"W x 15.25"H	WC-8	5295.37	AC • 153x15mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
F. 1103LED-MWW-MWW	Damp	52"W x 15.25"H	WC-8	5295.37	AC • 153x15mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90

• All Millennium fans include 6" downrods in the box.

Hammerlin



60" Indoor Ceiling Fan 3 ABS Blades • 60" Sweep

Dramatic scale and modern simplicity define this 60-inch Hammerlin collection ceiling fan, anchoring large interiors with bold presence. The wrapped blade design enhances visual movement even at rest. Features 5CCT, reversible rotation, and four-speed control for strong, customizable airflow year-round.



A. 1113LED-BR-MBK
Brass Finish • Matte Black Blades



B. 1113LED-BN-MP
Brushed Nickle Finish • Maple Blades



C. 1113LED-BP-BP
Brushed Pewter Finish • Brushed Pewter Blades



D. 1113LED-MBK-MBK
Matte Black Finish • Matte Black Blades



E. 1113LED-MBK-WT
Matte Black Finish • Walnut Blades



F. 1113LED-MWW-MWW
Matte White Finish • Matte White Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMS	MOTOR	SPEEDS	LIGHT KIT INCLUDED	WATTAGE	CCT	CRI
A. 1113LED-BR-MBK	Damp	60"W x 16"H	WC-8	5295.37	AC • 188x15mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
B. 1113LED-BN-MP	Damp	60"W x 16"H	WC-8	5991.34	AC • 188x15mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
C. 1113LED-BP-BP	Damp	60"W x 16"H	WC-8	5991.34	AC • 188x15mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
D. 1113LED-MBK-MBK	Damp	60"W x 16"H	WC-8	5991.34	AC • 188x15mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
E. 1113LED-MBK-WT	Damp	60"W x 16"H	WC-8	5991.34	AC • 188x15mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
F. 1113LED-MWW-MWW	Damp	60"W x 16"H	WC-8	5991.34	AC • 188x15mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90

• All Millennium fans include 6" downrods in the box.

Lockbourne




48" Indoor/Outdoor Ceiling Fan 3 ABS Blades • 48" Sweep

A contemporary ceiling fan with flush mount design and matte white finish, the Lockbourne easily blends into furnished interiors. It features four speed settings, a 5CCT dimmable light for customizable ambiance, convenient wall control, and a damp-rated build ideal for kitchens, bathrooms, and other indoor environments.



A. 1102LED-BP-BP
Brushed Pewter Finish • Brushed Pewter Blades



B. 1102LED-BR-MBK
Brass and Matte Black Finish · Matte Black Blades



C. 1102LED-MBK-MBK
Matte Black Finish · Matte Black Blades



D. 1102LED-MWW-MWW
Matte White Finish · Matte White Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED	WATTAGE	CCT	CRI
A. 1102LED-BP-BP	Damp	48"W x 10"H	WC-8	3746.95	AC · 153x12mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
B. 1102LED-BR-MBK	Damp	48"W x 10"H	WC-8	3746.95	AC · 153x12mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
C. 1102LED-MBK-MBK	Damp	48"W x 10"H	WC-8	3746.95	AC · 153x12mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90
D. 1102LED-MWW-MWW	Damp	48"W x 10"H	WC-8	3746.95	AC · 153x12mm	4	Yes	30W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	90

· All Millennium fans include 6" downrods in the box.

Karrston



CEC

54" Indoor Ceiling Fan 3 ABS Blades • 54" Sweep

Sculptural balance defines the Karrston collection in Matte Black and Walnut finishes. This 54-inch fan pairs smooth, flat blades with a continuous ring form that encircles the light in fluid motion. Six speeds, 5CCT dimmable lighting, remote control, reversible airflow, and damp-rated construction complete the design.



A. 1120LED-BR-MBK
Brass Finish • Matte Black Blades



B. 1120LED-BN-GR
Brushed Nickel Finish • Grey Blades



C. 1120LED-MBK-WT
Matte Black Finish • Walnut Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED	WATTAGE	CCT	CRI
A. 1120LED-BR-MBK	Damp	54"W x 14.75"H	RC-11	5407.34	DC • 85x14mm	6	Yes	18W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	80
B. 1120LED-BN-GR	Damp	54"W x 14.75"H	RC-11	5407.34	DC • 85x14mm	6	Yes	18W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	80
C. 1120LED-MBK-WT	Damp	54"W x 14.75"H	RC-11	5407.34	DC • 85x14mm	6	Yes	18W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	80

• All Millennium fans include 6" downrods in the box.

Karrston



CEC

60" Indoor Ceiling Fan 3 ABS Blades • 60" Sweep

Architectural clarity defines the Karrston collection in Matte Black and Walnut finishes. At 60 inches, its blades flow around the light within a seamless ring form that emphasizes continuity and proportion. It features six speeds, 5CCT dimmable lighting, remote control, reversible motor, and damp-rated performance.



A. 1121LED-MBK-WT
Matte Black Finish • Walnut Blades



B. 1121LED-BN-GR
Brushed Nickel Finish • Grey Blades



C. 1121LED-BR-MBK
Brass Finish • Matte Black Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED	WATTAGE	CCT	CRI
A. 1121LED-MBK-WT	Damp	60" W x 14.75" H	RC-11	6430	DC • 85x14mm	6	Yes	18W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	80
B. 1121LED-BN-GR	Damp	60" W x 14.75" H	RC-11	6430	DC • 85x14mm	6	Yes	18W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	80
C. 1121LED-BR-MBK	Damp	60" W x 14.75" H	RC-11	6430	DC • 85x14mm	6	Yes	18W Integrated LED Dimmable	2700k, 3000k, 3500k, 4000k, 5000k	80

• All Millennium fans include 6" downrods in the box.

52" Indoor Ceiling Fan 5 Reversible Blades • 52" Sweep

The Coltstaff ceiling fan adds an understated modern look to commercial and residential interiors with its sleek motor casing and 52-inch reversible blades, which install with either finish facing down for a custom look. A pull chain and motor switch manage the three speeds and direction of airflow.



A. 1035-BN-BN
Brushed Nickel Finish • Silver and Walnut
Reversible Blades



B. 1035-MBK-MBK

Matte Black Finish · Matte Black & Walnut Reversible Blades



C. 1035-MWW-MWW

Matte White Finish · Matte White and Grey Oak Reversible Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED
A. 1035-BN-BN	Dry	52"W x12.5"H	Pull Chain	4337.85	AC · 153x12mm	3	No
B. 1035-MBK-MBK	Dry	52"W x12.5"H	Pull Chain	4337.85	AC · 153x12mm	3	No
C. 1035-MWW-MWW	Dry	52"W x12.5"H	Pull Chain	4337.85	AC · 153x12mm	3	No

· All RP fans include 4" downrods in the box.

52" Indoor Ceiling Fan 5 Blades • 52" Sweep

A contemporary-meets-traditional look and color versatility define the Kintrel indoor ceiling fan. The reversible 52-inch blades can be installed on either side. The dome light with a frosted-glass shade gently diffuses light, while pull chains and reverse switch manage three speeds, airflow direction, and light.



A. 1059-MBK-MBK-L
Matte Black Finish • Matte Black and Walnut
Reversible Blades





B. 1059-MWW-MWW-L
Matte White Finish · Matte White and Grey Oak
Reversible Blades



C. 1059-BN-BN-L
Brushed Nickel Finish · Silver and Walnut
Reversible Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED	SHADE	WATTAGE	DELIVERED LUMENS	CRI
A. 1059-MBK-MBK-L	Dry	52"W x 18"H	Pull Chain	4337.85	AC · 153X12mm	3	Yes	Frosted Glass	2x9W LED Total 18W Dimmable	1042	80
B. 1059-MWW-MWW-L	Dry	52"W x 18"H	Pull Chain	4337.85	AC · 153X12mm	3	Yes	Frosted Glass	(2) 9W Total 18W Dimmable	1042	80
C. 1059-BN-BN-L	Dry	52"W x 18"H	Pull Chain	4337.85	AC · 153X12mm	3	Yes	Frosted Glass	(2) 9W Total 18W Dimmable	1042	80

· All RP fans include 4" downrods in the box.


Marisella



CEC

52" Indoor Ceiling Fan 5 Blades • 52" Sweep

The 52-inch Marisella adds a traditional-meets-contemporary look to the room. Five reversible blades can be installed on either side. Four tulip glass shades cast a gentle glow, while pull chains manage three speeds and light. Use the motor switch to reverse airflow.



A. 1034-MWW-MWW-L
Matte White Finish • Matte White and Grey Oak Reversible Blades



B. 1034-BN-BN-L
Brushed Nickel Finish • Silver and Walnut Reversible Blades



C. 1034-MBK-MBK-L

Matte Black Finish • Matte Black and Walnut Reversible Blades

ITEM	LOCATION	DIMENSIONS	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED	SHADE	WATTAGE	DELIVERED LUMENS	CRI
A. 1034-MWW-MWW-L	Dry	52"W x 17.75"H	4337.85	AC • 153X12mm	3	Yes	Etched Glass	4x9W LED Total 36W Dimmable	2256	80
B. 1034-BN-BN-L	Dry	52"W x 17.75"H	4337.85	AC • 153X12mm	3	Yes	Etched Glass	4x9W LED Total 36W Dimmable	2256	80
C. 1034-MBK-MBK-L	Dry	52"W x 17.75"H	4337.85	AC • 153X12mm	3	Yes	Etched Glass	4x9W LED Total 36W Dimmable	2256	80

• All RP fans include 4" downrods in the box.

52" Indoor Ceiling Fan 3 ABS Blades • 52" Sweep

Experience modern elegance and reliable performance with our *Cirova* 52" Ceiling Fan, perfect for covered outdoor areas or indoor spaces. Featuring three durable ABS blades and a powerful, energy-efficient DC motor, this fan delivers quiet, consistent airflow. Its sleek, light-free design maintains a clean aesthetic, while the included 6" x 1/2" downrod—threaded on one end—ensures secure installation. Easily adjust between three speeds using the included remote control. Built for performance, this fan cools and elevates covered patios, porches, and living rooms.



A. 1075-MBK-MBK
Matte Black Finish • Matte Black Blades



B. 1075-MWW-MWW

Matte White Finish • Matte White Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED
A. 1075-MBK-MBK	Damp	52"W x 11.75"H	Hand Held Remote	4390.76	DC • 90x16mm	6	No
B. 1075-MWW-MWW	Damp	52"W x 11.75"H	Hand Held Remote	4390.76	DC • 90x16mm	6	No

• All Millennium fans include 6" downrods in the box.

Airstra



52" Indoor/Outdoor Ceiling Fan 5 ABS Blades • 52" Sweep

Timeless design and effortless comfort come together with the Airstra, an attractive and high-performing 52" indoor/outdoor ceiling fan. Wet rated and featuring five UV-resistant ABS blades, the Airstra can be installed on patios, porches, and outdoor entertaining spaces. An integrated 20W dimmable LED light offers soft, customizable illumination to set the mood. The DC motor provides an impressive 6507 CFM airflow to keep you cool on even the warmest summer nights.



A. 1010LED-MWW-MWW
Matte White Finish • Matte White Blades



B. 1010LED-MBK-MBK

Matte Black Finish • Matte Black Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED	WATTAGE	CCT	CRI
A. 1010LED-MWW-MWW	Wet	52"W x 17.75"H	Wall	6507	DC • 100x20mm	6	Yes	20W Integrated LED Dimmable	3000k, 3500k, 4000k	80+
B. 1010LED-MBK-MBK	Wet	52"W x 17.75"H	Wall	6507	DC • 100x20mm	6	Yes	20W Integrated LED Dimmable	3000k, 3500k, 4000k	80+

• All Millennium fans include 6" downrods in the box.

52" Indoor/Outdoor Ceiling Fan 3 ABS Blades • 52" Sweep

Transform your living space into a cool, contemporary retreat with the Wynleaf 52" LED Indoor/Outdoor Ceiling Fan. Wet rated for the elements, this fan features three UV-resistant ABS blades and a powerful, energy-efficient, and ultra-quiet DC motor. Featuring an impressive 5,461 CFM, it ensures exceptional comfort even on the hottest days. The integrated 20W dimmable LED light offers versatile ambiance with selectable color temperatures (3000K/3500K/4000K). With its clean lines, energy efficiency, and all-weather durability, this fan brings elegance and performance to any patio, porch, or entertaining space.



A. 1077WLED-MBK-KOA
Matte Black Finish • Dark Koa Blades



B. 1077WLED-MBK-MBK
Matte Black Finish · Matte Black Blades



C. 1077WLED-MWW-MWW
Matte White Finish · Matte White Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED	WATTAGE	CCT	CRI
A. 1077WLED-MBK-KOA	Damp	52"W x 17.75"H	Wall	5461	DC · 100x20mm	6	Yes	20W Integrated LED Dimmable	3000k, 3500k, 4000k	80+
B. 1077WLED-MBK-MBK	Damp	52"W x 17.75"H	Wall	5461	DC · 100x20mm	6	Yes	20W Integrated LED Dimmable	3000k, 3500k, 4000k	80+
C. 1077WLED-MWW-MWW	Damp	52"W x 17.75"H	Wall	5461	DC · 100x20mm	6	Yes	20W Integrated LED Dimmable	3000k, 3500k, 4000k	80+

• All Millennium fans include 6" downrods in the box.

72" Indoor/Outdoor Ceiling Fan 3 ABS Blades • 72" Sweep

Transform your living space into a cool, contemporary retreat with the Wynleaf 72" LED Indoor/Outdoor Ceiling Fan. Wet rated for the elements, this fan features three UV-resistant ABS blades and a powerful, energy-efficient, and ultra-quiet DC motor. Featuring an impressive 9,135 CFM, it ensures exceptional comfort even on the hottest days. The integrated 20W dimmable LED light offers versatile ambiance with selectable color temperatures (3000K/3500K/4000K). With its clean lines, energy efficiency, and all-weather durability, this fan brings elegance and performance to any patio, porch, or entertaining space.



A. 1087WLED-MBK-KOA
Matte Black Finish • Dark Koa Blades



B. 1087WLED-MBK-MBK
Matte Black Finish · Matte Black Blades



C. 1087WLED-MWW-MWW
Matte White Finish · Matte White Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED	WATTAGE	CCT	CRI
A. 1087WLED-MBK-KOA	Wet	72"W x 17.75"H	Wall	9135	DC · 153x18mm	6	Yes	20W Integrated LED Dimmable	3000k, 3500k, 4000k	80+
B. 1087WLED-MBK-MBK	Wet	72"W x 17.75"H	Wall	9135	DC · 153x18mm	6	Yes	20W Integrated LED Dimmable	3000k, 3500k, 4000k	80+
C. 1087WLED-MWW-MWW	Wet	72"W x 17.75"H	Wall	9135	DC · 153x18mm	6	Yes	20W Integrated LED Dimmable	3000k, 3500k, 4000k	80+

· All Millennium fans include 6" downrods in the box.

Brisden



CEC


52" Indoor Ceiling Fan 5 Reversible Blades • 52" Sweep

The 52" Brisden features five smooth MDF blades and a classic silhouette, effortlessly cooling any living room, bedroom, or entertaining space. Its energy-efficient AC motor delivers whisper-quiet performance with three customizable speeds via an easy-to-use pull chain. With a sturdy 4"x1/2" downrod (threaded on one side) and a clean, light-free design, this Energy Star-rated fan is the perfect solution for your home.



A. 1031-MBK-MBK

Matte Black Finish • Matte Black and Mid-Brown Oak Reversible Blades



B. 1031-BN-BN

Matte Black Finish • Brushed Nickel & Matte Black Reversible Blades



C. 1031-MWW-MWW

Matte White Finish • Matte White and Grey Oak Reversible Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED
A. 1031-MBK-MBK	Dry	52"W x12.5"H	Pull Chain	4508.71	AC • 172x14mm	3	No
B. 1031-BN-BN	Dry	52"W x12.5"H	Pull Chain	4508.71	AC • 172x14mm	3	No
C. 1031-MWW-MWW	Dry	52"W x12.5"H	Pull Chain	4508.71	AC • 172x14mm	3	No

• All RP fans include 4" downrods in the box.

52" Indoor/Outdoor Ceiling Fan 5 ABS Blades • 52" Sweep

The 52" Velbreeze outdoor ceiling fan features a classic design, with 5 weather-resistant ABS blades ideal for patios, porches, and covered decks. Engineered for outdoor use and Energy Star certified, this ceiling fan features a reliable AC motor, delivering powerful yet quiet performance ideal for patios, porches, or covered decks. The 4"x1/2" downrod is threaded on one side for secure installation, with a 3-speed pull chain that offers customizable comfort. With a sleek, no-light design and rugged construction built to withstand the elements, this fan cools outdoor spaces with style.



A. 1017W-BP-BP
Brushed Pewter Finish • Brushed Pewter Blades



B. 1017W-MBK-MBK
Matte Black Finish • Matte Black Blades



C. 1017W-MWW-MWW
Matte White Finish • Matte White Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED
A. 1017W-BP-BP	Wet	52"W x12.75"H	Pull Chain	4563.90	AC • 172x14mm	3	No
B. 1017W-MBK-MBK	Wet	52"W x12.75"H	Pull Chain	4563.90	AC • 172x14mm	3	No
C. 1017W-MWW-MWW	Wet	52"W x12.75"H	Pull Chain	4563.90	AC • 172x14mm	3	No

• All RP fans include 4" downrods in the box.

Calivane



52" Indoor Ceiling Fan 5 Blades • 52" Sweep

Classic design and comfort come together with the Calivane 52" LED Ceiling Fan, featuring a 4-light etched glass light kit. Designed for both style and performance, this Energy Star-rated fan comes equipped with five durable, reversible MDF blades for maximum customization. The included light kit houses four dimmable E12 bulbs (4x4W, 3000K, 300LM) angled to create soft, ambient light. The 4"x1/2" downrod, threaded on one side, ensures a secure mount, while the 3-speed pull chain offers personalized airflow control. A timeless addition to any indoor space, this fan blends functionality and form to create an inviting living room, bedroom, or entertainment setting.



A. 1033-MWW-MWW-L
Matte White Finish • Matte White and Grey Oak
Reversible Blades





B. 1033-MBK-MBK-L

Matte Black Finish • Matte Black and Mid-Brown Oak Reversible Blades



C. 1033-BN-BN-L

Brushed Nickel Finish • Brushed Nickel and Matte Black Reversible Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED	SHADE	WATTAGE	BULBS INCLUDED	DELIVERED LUMENS	CRI
A. 1033-MWW-MWW-L	Dry	52" W x 18" H	Pull Chain	4511.80	AC • 172X14mm	3	Yes	Etched Glass	(4) 4W LED Total 16W Dimmable	Yes	443	80
B. 1033-MBK-MBK-L	Dry	52" W x 18" H	Pull Chain	4511.80	AC • 172X14mm	3	Yes	Etched Glass	(4) 4W LED Total 16W Dimmable	Yes	443	80
C. 1033-BN-BN-L	Dry	52" W x 18" H	Pull Chain	4511.80	AC • 172X14mm	3	Yes	Etched Glass	(4) 4W LED Total 16W Dimmable	Yes	443	80

• All RP fans include 4" downrods in the box.

52" Indoor Ceiling Fan 5 Blades • 52" Sweep

Enhance your space with the Galeson 52" LED Ceiling Fan, featuring traditional design and efficient performance. Designed with five reversible MDF blades and powered by a reliable AC motor, this fan offers whisper-quiet performance and three adjustable speeds via an easy pull chain. The included light kit features an etched bowl glass shade that diffuses light from two 4W E12 bulbs (3000K, 300LM), creating a warm, inviting ambiance. With its thoughtfully engineered 4"x1/2" downrod (threaded on one side only) and Energy Star efficiency, this fan cools any living room, bedroom, or entertaining area with ease.



A. 1058-BN-BN-L

Brushed Nickel Finish • Brushed Nickel and Matte Black
Reversible Blades





B. 1058-MBK-MBK-L
Matte Black Finish • Matte Black and Mid-Brown Oak Reversible Blades



C. 1058-MWW-MWW-L
Matte White Finish • Matte White and Grey Oak Reversible Blades

ITEM	LOCATION	DIMENSIONS	CONTROL SYSTEM	HIGH CFMs	MOTOR	SPEEDS	LIGHT KIT INCLUDED	SHADE	WATTAGE	BULBS INCLUDED	DELIVERED LUMENS	CRI
A. 1058-BN-BN-L	Dry	52" W x 17.75" H	Pull Chain	4529.44	AC • 172X14mm	3	Yes	Etched Glass	(2) 4W LED Total 8W Dimmable	Yes	443	80
B. 1058-MBK-MBK-L	Dry	52" W x 17.75" H	Pull Chain	4529.44	AC • 172X14mm	3	Yes	Etched Glass	(2) 4W LED Total 8W Dimmable	Yes	443	80
C. 1058-MWW-MWW-L	Dry	52" W x 17.75" H	Pull Chain	4529.44	AC • 172X14mm	3	Yes	Etched Glass	(2) 4W LED Total 8W Dimmable	Yes	443	80

• All RP fans include 4" downrods in the box.

Downrods

0.75" Downrod



Brushed Nickel



Matte Black



Matte White

ITEM	DIMENSIONS	LOCATION	MATERIAL
DR12BN	0.75"W x 12"H	Dry	Steel
DR12MBK	0.75"W x 12"H	Dry	Steel
DR12MWW	0.75"W x 12"H	Dry	Steel
DR18BN	0.75"W x 18"H	Dry	Steel
DR18MBK	0.75"W x 18"H	Dry	Steel
DR18MWW	0.75"W x 18"H	Dry	Steel
DR24BN	0.75"W x 24"H	Dry	Steel
DR24MBK	0.75"W x 24"H	Dry	Steel
DR24MWW	0.75"W x 24"H	Dry	Steel
DR36BN	0.75"W x 36"H	Dry	Steel
DR36MBK	0.75"W x 36"H	Dry	Steel
DR36MWW	0.75"W x 36"H	Dry	Steel
DR48BN	0.75"W x 48"H	Dry	Steel
DR48MBK	0.75"W x 48"H	Dry	Steel
DR48MWW	0.75"W x 48"H	Dry	Steel
DR60BN	0.75"W x 60"H	Dry	Steel
DR60MBK	0.75"W x 60"H	Dry	Steel
DR60MWW	0.75"W x 60"H	Dry	Steel
DR72BN	0.75"W x 72"H	Dry	Steel
DR72MBK	0.75"W x 72"H	Dry	Steel
DR72MWW	0.75"W x 72"H	Dry	Steel

0.75" Threaded One Side Downrod




Matte Black



Matte White

ITEM	DIMENSIONS	LOCATION	MATERIAL
EDR4MBK	0.75"W x 4"H	Damp	Steel
EDR4MWW	0.75"W x 4"H	Damp	Steel
EDR6MBK	0.75"W x 6"H	Damp	Steel
EDR6MWW	0.75"W x 6"H	Damp	Steel
EDR12MBK	0.75"W x 12"H	Damp	Steel
EDR12MWW	0.75"W x 12"H	Damp	Steel
EDR24MBK	0.75"W x 24"H	Damp	Steel
EDR24MWW	0.75"W x 24"H	Damp	Steel
EDR36MBK	0.75"W x 36"H	Damp	Steel
EDR36MWW	0.75"W x 36"H	Damp	Steel
EDR48MBK	0.75"W x 48"H	Damp	Steel
EDR48MWW	0.75"W x 48"H	Damp	Steel
EDR72MBK	0.75"W x 72"H	Damp	Steel
EDR72MWW	0.75"W x 72"H	Damp	Steel

0.5" Downrod



Brushed
Nickel




Brass



Matte
Black

ITEM	DIMENSIONS	LOCATION	MATERIAL
DE6BN	0.5"W x 6"H	Damp	Steel
DE6BR	0.5"W x 6"H	Damp	Steel
DE6MBK	0.5"W x 6"H	Damp	Steel
DE12BN	0.5"W x 12"H	Damp	Steel
DE12BR	0.5"W x 12"H	Damp	Steel
DE12MBK	0.5"W x 12"H	Damp	Steel
DE18BN	0.5"W x 18"H	Damp	Steel
DE18BR	0.5"W x 18"H	Damp	Steel
DE18MBK	0.5"W x 18"H	Damp	Steel
DE24BN	0.5"W x 24"H	Damp	Steel
DE24BR	0.5"W x 24"H	Damp	Steel
DE24MBK	0.5"W x 24"H	Damp	Steel
DE36BN	0.5"W x 36"H	Damp	Steel
DE36BR	0.5"W x 36"H	Damp	Steel
DE36MBK	0.5"W x 36"H	Damp	Steel
DE48BN	0.5"W x 48"H	Damp	Steel
DE48BR	0.5"W x 48"H	Damp	Steel
DE48MBK	0.5"W x 48"H	Damp	Steel
DE60BN	0.5"W x 60"H	Damp	Steel
DE60BR	0.5"W x 60"H	Damp	Steel
DE60MBK	0.5"W x 60"H	Damp	Steel
DE72BN	0.5"W x 72"H	Damp	Steel
DE72BR	0.5"W x 72"H	Damp	Steel
DE72MBK	0.5"W x 72"H	Damp	Steel

0.5" Threaded One Side Downrod



Brass



Matte
White

ITEM	DIMENSIONS	LOCATION	MATERIAL
E12BR	0.5"W x 12"H	Damp	Steel
E12MWW	0.5"W x 12"H	Damp	Steel
E18BR	0.5"W x 18"H	Damp	Steel
E18MWW	0.5"W x 18"H	Damp	Steel
E24BN	0.5"W x 24"H	Damp	Steel
E24MWW	0.5"W x 24"H	Damp	Steel
E36BN	0.5"W x 36"H	Damp	Steel
E36MWW	0.5"W x 36"H	Damp	Steel
E48BN	0.5"W x 48"H	Damp	Steel
E48MWW	0.5"W x 48"H	Damp	Steel
E60BN	0.5"W x 60"H	Damp	Steel
E60MWW	0.5"W x 60"H	Damp	Steel
E72BN	0.5"W x 72"H	Damp	Steel
E72MWW	0.5"W x 72"H	Damp	Steel

Sloped Ceiling Adapters

Sloped Adapter Kit



A. DRS45BN



B. DRS45MBK



C. DRS45MWW

ITEM	SLOPE	DIMENSIONS	LOCATION	DOWN ROD INCLUDED
A. DRS45BN	45°	5.5"W x 2.75"H	Dry	No
B. DRS45MBK	45°	5.5"W x 2.75"H	Dry	No
C. DRS45MWW	45°	5.5"W x 2.75"H	Dry	No

Sloped Adapter Kit



A. SA45BK



B. SA45BP



C. SA45BR



D. SA45MWW


ITEM	SLOPE	DIMENSIONS	LOCATION	DOWN ROD INCLUDED
A. SA45BK	45°	5.5"W x 2.5"H	Dry	No
B. SA45BP	45°	5.5"W x 2.5"H	Dry	No
C. SA45BR	45°	5.5"W x 2.5"H	Dry	No
D. SA45MWW	45°	5.5"W x 2.5"H	Dry	No

Accessory Compatibility

Fan Series	Downrod Diameter	Slope Adapter	4"	6"	12"	18"	24"	36"	48"	60"	72"
1010WLED-xx-xx	0.75"	N/A	EDR4xx	EDR6xx	EDR12xx		EDR24xx	EDR36xx	EDR48xx		EDR72xx
1017W-xx-xx	21MM	SA45xx			E12xx	E18xx	E24xx	E36xx	E48xx	E60xx	E72xx
1031-xx-xx	21MM	SA45xx			E12xx	E18xx	E24xx	E36xx	E48xx	E60xx	E72xx
1033-xx-xx	21MM	SA45xx			E12xx	E18xx	E24xx	E36xx	E48xx	E60xx	E72xx
1034-xx-xx-L	21.5MM	DRSA45xx			DR12xx	DR18xx	DR24xx	DR36xx	DR48xx	DR60xx	DR72xx
1035-xx-xx	21.5MM	DRSA45xx			DR12xx	DR18xx	DR24xx	DR36xx	DR48xx	DR60xx	DR72xx
1058-xx-xx	21MM	SA45xx			E12xx	E18xx	E24xx	E36xx	E48xx	E60xx	E72xx
1059-xx-xx-L	21.5MM	DRSA45xx			DR12xx	DR18xx	DR24xx	DR36xx	DR48xx	DR60xx	DR72xx
1075-xx-xx	0.75"	SA45xx			E12xx	E18xx	E24xx	E36xx	E48xx	E60xx	E72xx
1077WLED-xx-xx	0.75"	N/A	EDR4xx	EDR6xx	EDR12xx		EDR24xx	EDR36xx	EDR48xx		EDR72xx
1087WLED-xx-xx	0.75"	N/A	EDR4xx	EDR6xx	EDR12xx		EDR24xx	EDR36xx	EDR48xx		EDR72xx
1100LED-xx-xx	0.5"	SA45xx			E12xx	E18xx	E24xx	E36xx	E48xx	E60xx	E72xx
1102LED-xx-xx	0.5"	SA45xx			E12xx	E18xx	E24xx	E36xx	E48xx	E60xx	E72xx
1103LED-xx-xx	0.5"	SA45xx			E12xx	E18xx	E24xx	E36xx	E48xx	E60xx	E72xx
1111LED-xx-xx	0.5"	SA45xx			E12xx	E18xx	E24xx	E36xx	E48xx	E60xx	E72xx
1113LED-xx-xx	0.5"	SA45xx			E12xx	E18xx	E24xx	E36xx	E48xx	E60xx	E72xx
1120LED-xx-xx	0.5"	N/A		DE6xx	DE12xx	DE18xx	DE24xx	DE36xx	DE48xx	DE60xx	DE72xx
1121LED-xx-xx	0.5"	N/A		DE6xx	DE12xx	DE18xx	DE24xx	DE36xx	DE48xx	DE60xx	DE72xx









Downrod Length Guide



Please ensure there is at least seven feet of clearance under the ceiling fan blades. For most eight-foot ceiling installations, the standard six-inch downrod should be sufficient. This positioning allows for enough space above the blades to ensure optimal air movement.

Ceiling Fan Room Size Guide

SIZE OF ROOM	FAN BLADE SWEEP
<100 Sq. Ft. 	 36" - 44"
100-150 Sq. Ft. 	 52" - 56"
>150 Sq. Ft. 	 60" - 72"

Please note that these measurements are for general airflow requirements only. Your choice of fan should also consider your decorating plans and aesthetic preferences beyond these room size specifications.

Waranty Guide



Limited Lifetime Warranty for Fan Motors



1 Year Warranty on parts

Finishes

Fan Finishes



BR - Brass



BN - Brushed Nickel



BP - Brushed Pewter



MBK - Matte Black



MWW - Matte White

Fan Blade Finishes



BP - Brushed Pewter



GR - Grey



GO - Grey Oak



MP - Maple



MBO - Mid-Brown Oak



MBK - Matte Black



MWW - Matte White



SL - Silver



WT - Walnut

Finishes

1010LED-MBK-MBK.....	31	1103LED-MWW-MWW.....	13	DR36BN.....	44
1010LED-MWW-MWW.....	30, 31	1111LED-BP-BP.....	11	DR36MBK.....	44
1017W-BP-BP.....	38, 39	1111LED-BR-MBK.....	10, 11	DR36MWW.....	44
1017W-MBK-MBK.....	39	1111LED-MBK-MBK.....	11	DR48BN.....	44
1017W-MWW-MWW.....	39	1111LED-MWW-MWW.....	11	DR48MBK.....	44
1031-BN-BN.....	37	1113LED-BN-MP.....	14, 15	DR48MWW.....	44
1031-MBK-MBK.....	36, 37	1113LED-BR-MBK.....	14, 15	DR60BN.....	44
1031-MWW-MWW.....	37	1113LED-MBK-MBK.....	15	DR60MBK.....	44
1033-BN-BN-L.....	41	1113LED-MBK-WT.....	15	DR60MWW.....	44
1033-MBK-MBK-L.....	41	1113LED-MWW-MWW.....	15	DR72BN.....	44
1033-MWW-MWW-L.....	40, 41	1120LED-BN-GR.....	19	DR72MBK.....	44
1034-BN-BN-L.....	26, 27	1120LED-BR-MBK.....	18, 19	DR72MWW.....	44
1034-MBK-MBK-L.....	27	1120LED-MBK-WT.....	19	DRSA45BN.....	46
1034-MWW-MWW-L.....	26, 27	1121LED-BN-GR.....	21	DRSA45MBK.....	46
1035-BN-BN.....	22, 23	1121LED-BR-MBK.....	21	DRSA45MWW.....	46
1035-MBK-MBK.....	23	1121LED-MBK-WT.....	20, 21	E12BR.....	45
1035-MWW-MWW.....	23	DE6BN.....	45	E12MWW.....	45
1058-BN-BN-L.....	42, 43	DE6BR.....	45	E18BR.....	45
1058-MBK-MBK-L.....	43	DE6MBK.....	45	E18MWW.....	45
1058-MWW-MWW-L.....	43	DE12BN.....	45	E24BN.....	45
1059-BN-BN-L.....	25	DE12BR.....	45	E24MWW.....	45
1059-MBK-MBK-L.....	24, 25	DE12MBK.....	45	E36BN.....	45
1059-MWW-MWW-L.....	25	DE18BN.....	45	E36MWW.....	45
1075-MBK-MBK.....	28, 29	DE18BR.....	45	E48BN.....	45
1075-MWW-MWW.....	29	DE18MBK.....	45	E48MWW.....	45
1077WLED-MBK-KOA.....	32, 33	DE24BN.....	45	E60BN.....	45
1077WLED-MBK-MBK.....	33	DE24BR.....	45	E60MWW.....	45
1077WLED-MWW-MWW.....	33	DE24MBK.....	45	E72BN.....	45
1087WLED-MBK-KOA.....	34, 35	DE36BN.....	45	E72MWW.....	45
1087WLED-MBK-MBK.....	35	DE36BR.....	45	EDR4MBK.....	44
1087WLED-MWW-MWW.....	35	DE36MBK.....	45	EDR4MWW.....	44
1100LED-BP-BP.....	7	DE48BN.....	45	EDR6MBK.....	44
1100LED-BR-MBK.....	6, 7	DE48BR.....	45	EDR6MWW.....	44
1100LED-BR-MWW.....	6, 7	DE48MBK.....	45	EDR12MBK.....	44
1100LED-MBK-MBK.....	7	DE60BN.....	45	EDR12MWW.....	44
1100LED-MWW-MWW.....	7	DE60BR.....	45	EDR24MBK.....	44
1101LED-BP-BP.....	9	DE60MBK.....	45	EDR24MWW.....	44
1101LED-BR-MBK.....	8, 9	DE72BN.....	45	EDR36MBK.....	44
1101LED-MBK-MBK.....	9	DE72BR.....	45	EDR36MWW.....	44
1101LED-MWW-MWW.....	9	DE72MBK.....	45	EDR48MBK.....	44
1102LED-BP-BP.....	16, 17	DR12BN.....	44	EDR48MWW.....	44
1102LED-BR-MBK.....	17	DR12MBK.....	44	EDR72MBK.....	44
1102LED-MBK-MBK.....	17	DR12MWW.....	44	EDR72MWW.....	44
1102LED-MWW-MWW.....	17	DR18BN.....	44	SA45BK.....	46
1103LED-BN-MP.....	12, 13	DR18MBK.....	44	SA45BP.....	46
1103LED-BP-BP.....	12, 13	DR18MWW.....	44	SA45BR.....	46
1103LED-BR-MBK.....	12, 13	DR24BN.....	44	SA45MWW.....	46
1103LED-MBK-MBK.....	13	DR24MBK.....	44		
1103LED-MBK-WT.....	13	DR24MWW.....	44		



105 Declaration Drive • McDonough, GA 30253

Website: www.millenniumlighting.com

Email: sales@millenniumlighting.com

Phone: 844.330.0160 • F: 678.432.6196

Supplement #MLRPFan26